

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division

811 S. 1st Street
Artesia, NM 88210-2834

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-18984 911

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

El Paso Federal No. 10

9. API Well No.

30-015-31147

10. Field and Pool, or Exploratory Area

Undesignated

11. County or Parish, State

Eddy, NM

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Fasken Oil and Ranch, Ltd.

3. Address and Telephone No.

303 W. Wall, Suite 1800, Midland, TX 79701 (915) 687-1777

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2105' FSL and 1350' FEL Sec. 2, T-21-S, R-26-E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION


- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
See attached report.



14. I hereby certify that the foregoing is true and correct

Signed Johnny C. Taylor

Title Drilling & Production Engineer

Date 8/18/00

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

RECEIVED
AUG 21 2000
BLM
ROSWELL, NM

FASKEN OIL AND RANCH, LTD.
EL PASO FEDERAL NO. 10
2105' FSL & 1350' FEL
Sec. 2, T-21-S, R-26-E
Eddy County, New Mexico

Spudded well @ 9:00 pm CDT 6-8-00. Drilled 17-1/2" hole to 400' with 100% returns.


Set 13-3/8" 48#/ft H-40 casing at 400'. Cemented casing with 440 sx Class "C" w/ 2% CaCl_2 (sw 14.8 ppg, yield 1.34 cuft/sk). Plug down @ 9:30 CDT 6-10-00, circulated 125 sx excess cement.

Drilled 12-1/4" hole to 2278' with 70-100% returns. Set 8-5/8" 24.0#/ft K-55 ST&C casing at 2278'. Cemented casing with 20 bbls. gelled water, 200 sx Class "A" w/ 10% A-10B, 1% CaCl_2 , 10# Gilsomite/sk, 1/4# celloflake/sk (sw 14.6 ppg, yield 1.51 cuft/sk) + 800 sx Class "C" w/ 4% Gel, 2% CaCl_2 (sw 13.5 ppg, yield 1.74 cuft/sk) + 200 sx Class "C" w/ 2% CaCl_2 (sw 14.8 ppg, yield 1.34 cuft/sk). Plug down @ 7:00 pm CDT 6-15-00. Circulated 348 sx excess cement. Cementing operations witnessed by Kathy with the BLM Carlsbad office.

Drilled 7-7/8" hole to 4150'. Logged well with CNL-LDT, CMR, Array Induction, Micro-CFL, GR and Caliper.

Set 5-1/2" 15.50#/ft K-55 LT&C at 4148'. Cemented with 425 sx Super "C" Modified with 5% salt, 0.4% FL-52 and 0.4% CD-32 (s.w. 14.2 ppg, yield 1.32 ft³/sx). Plug down at 2:00 am CDT 6-21-00. Top of cement at 1600' FS per temperature survey.

RDRT. Waiting on completion.



RECEIVED
AUG 21 2000
BLM
ROSWELL, NM