

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

N.M. Cons. Division

811 1st Street

Artesia, NM 88210-2884

FORM APPROVED

OMB NO. 1004-0137

Expires: February 28, 1995

AND SERIAL NO.

NM 02500

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other _____

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other Re-Entry _____

2. NAME OF OPERATOR
Nearburg Producing Company ✓

3. ADDRESS AND TELEPHONE NO.
3300 North A Street, Building 2, Suite 120, Midland, Texas 79705 (817) 686-8255

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*
At surface
1450' FSL and 725' FEL, Unit I
At top prod. interval reported below
1650' FSL and 1650' FWL, Unit K
At total depth

6. IF INDIAN, ALLOTTEE OR TRIBE NAME _____

7. UNIT AGREEMENT NAME _____

8. FARM OR LEASE NAME, WELL NO.
Whisper 7 Federal Com #2

9. API WELL NO.
30-015-31370 S1

10. FIELD AND POOL, OR WILDCAT
Happy Valley; Morrow (Gas)

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA
Section 7, T22S, R26E

12. COUNTY OR PARISH
Eddy

13. STATE
New Mexico

14. PERMIT NO. _____ DATE ISSUED _____

15. DATE SPUDDED
10/11/00

16. DATE T.D. REACHED
12/09/00

17. DATE COMPL. (Ready to prod.)
01/07/01

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*
3710' GL 3728' KB

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD
12,500'

21. PLUG, BACK T.D., MD & TVD
11,956'

22. IF MULTIPLE COMPL., HOW MANY* _____

23. INTERVALS DRILLED BY _____ ROTARY TOOLS _____ CABLE TOOLS _____

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*
11,740' - 11,784' - Morrow

25. WAS DIRECTIONAL SURVEY MADE
No

26. TYPE ELECTRIC AND OTHER LOGS RUN
DLL/LDT/CNL/GR/CAL

27. WAS WELL CORED
No

CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	300'	17-1/2"	Cement 575 sxs, circ to surface	
9-5/8"	36#	2620'	12-1/4"	Cement 1000 sxs, circ to surface	
5-1/2"	17 & 20#	12,055'	7-7/8"	Cement 665 sxs, TOC 7,100'	

LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"		11,612'

31. PERFORATION RECORD (Interval, size and number)

11,740' - 11,758' 5 JSPF
11,762' - 11,784' 5 JSPF - 200 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
11,740' - 11,784'	None

33. *

PRODUCTION

DATE FIRST PRODUCTION
01/07/01

PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)
Flowing

WELL STATUS (Producing or shut-in)
Producing

DATE OF TEST
01/12/01

HOURS TESTED
24

CHOKE SIZE
7/64"

PROD'N FOR TEST PERIOD
→

OIL—BBL.
0

GAS—MCF.
1334

WATER—BBL.
0

GAS-OIL RATIO
—

FLOW. TUBING PRESS.
2790

CASING PRESSURE
—

CALCULATED 24-HOUR RATE
→

OIL—BBL.
0

GAS—MCF.
1334

WATER—BBL.
0

OIL GRAVITY-API (CORR.)
—

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY
Matt Lee

35. LIST OF ATTACHMENTS

C-104, Deviation Report, Logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE Regulatory Analyst

DATE 01/19/01

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED
JAN 24 '07
ROSWELL, NM

37. SUMMARY OF POROUS ZONES: (/ all important zones of porosity and contents eof; cored intervals; and all drill-stem, tests, including depth interv. tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Strawn DST	10260	10425	Drig Brks w/Sli Gas Shows Open 126" 6" PF 45# GTS 5" INTC ISIP (No rate) IFP525-184# 60" ISIP 4296# 120" FFP 336-450# 304" FSIP 3962 Recover 20' G & Dist CMD & 340' G cmt 20' mud
Morrow Sands	11070	11220	Drilling breaks w/ gas shows
Morrow Sands	11330	11450	Drilling breaks w/ gas shows

CONFIDENTIAL

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	TOP		NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH		MEAS. DEPTH	TRUE VERT. DEPTH
Delaware	2610'				
Bone Spring	5032'				
Wolfcamp	8067'				
Cisco	9586'				
Strawn	10,156'				
Atoka	10,520'				
Morrow Sands	10,934'				
Barnett (Miss)	11,647'				
TD	11,700'				




PATTERSON DRILLING COMPANY LP
A LIMITED PARTNERSHIP

410 North Loraine Street • Midland, Texas 79701
(915) 682-9401 • Fax (915) 682-1565

December 20, 2000

CONFIDENTIAL



Nearburg Producing Company
3300 North A St., Bldg. 2, Ste. 120
Midland, Texas 79705

Re: Deviation Report
Whitetip 7 Fed #2

Gentlemen:

The following is a deviation survey on the above-referenced well located in Lea County, New Mexico.

152' - 0.50	2354' - 0.50	6866' - 22.2	8743' - 16.0	10362' - 9.70
300' - 0.75	2620' - 0.50	7265' - 22.6	8869' - 16.0	10457' - 11.2
439' - 1.25	2952' - 5.70	7477' - 22.0	8995' - 16.0	10577' - 11.9
588' - 1.75	3873' - 24.6	7604' - 22.0	9154' - 13.0	10707' - 13.2
696' - 1.00	4347' - 24.7	7732' - 20.0	9215' - 12.0	10987' - 13.7
908' - 0.75	4628' - 25.5	7893' - 20.0	9374' - 8.00	11175' - 14.0
1155' - 0.25	5421' - 22.7	8048' - 19.0	9412' - 6.00	11377' - 13.0
1343' - 0.25	5660' - 24.9	8239' - 17.5	9588' - 4.90	11503' - 13.0
1532' - 1.50	5758' - 28.0	8334' - 16.0	9630' - 5.40	
1770' - 1.25	5855' - 27.6	8429' - 16.0	9948' - 9.90	
1913' - 0.75	5951' - 29.4	8550' - 16.0	10235' - 10.8	
2134' - 1.25	6166' - 24.2	8647' - 16.0	10287' - 10.8	

Sincerely,

Treva Forrester

Treva Forrester


STATE OF TEXAS)

COUNTY OF MIDLAND)

The foregoing was acknowledged before me this 20th day of December, 2000 by Treva Forrester.

MY COMMISSION EXPIRES:

Denise Gersh
NOTARY PUBLIC



Schlumberger

Anadrill

MDC Operations
9900 West Interstate 20
Midland, Texas 79706
Phone (915) 563-3057
Fax (915) 563-3059

State of Texas
County of Midland

I, John Willis, certify that; I am employed by Anadrill, a division of Schlumberger Technology Corporation; that I did on the day's of 10/19/00 through 12/09/00 conduct or supervise the taking of MWD surveys from a depth of 300 feet to a depth of 12055 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Anadrill, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of Nearburg Producing Company, for the Whit Tip 7 Fed. Com., API # 30-015-31370, in Eddy County, New Mexico; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Anadrill, a division of Schlumberger Technology Corporation.



John Willis,
MWD I

Proposed Well Profile

Report Date: December 12, 2000	Survey / DLS Computation Method: Minimum Curvature / Lubinsk
Client: Nearburg Producing Company	Vertical Section Azimuth: 273.940°
Field: Eddy Co. NM	Vertical Section Origin: N 0.000 ft, E 0.000 ft
Structure / Slot: White Tip 7 Fed Com #2 / White Tip 7 Fed Com # 2	TVD Reference Datum:
Well: White Tip 7 Fed Com #2	TVD Reference Elevation: 0.0 ft relative to MSL
Borehole: White Tip 7 Fed Com #2	Sea Bed / Ground Level Elevation: 0.000 ft relative to MSL
UWI/API#:	Magnetic Declination: 8.827°
Proposal Name / Modified Date: accual / December 9, 2000	Total Field Strength: 50571.682 nT
Tort / AHD / DDI / ERD ratio: 115.346° / 5822.84 ft / 5.846 / 0.504	Magnetic Dip: 61.707°
Grid Coordinate System: NAD27 New Mexico State Planes, Eastern Zone, US Feet	Declination Date: November 10, 2000
Location Lat/Long: N 33 32 33.090, W 103 23 10.866	Magnetic Declination Model: BGGM 2000
Location Grid N/E Y/X: N 926217.756 ftUS, E 788544.137 ftUS	North Reference: Grid North
Grid Convergence Angle: +0.52329374°	Total Corr Mag North -> Grid North: +8.304°
Grid Scale Factor: 1.00000442	Local Coordinates Referenced To: Structure Reference Point

Station ID	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSec (ft)	N-S (ft)	E-W (ft)	Closure (ft)	at Azim (°)	DLS (°/100ft)	TF (°)
Tie-In	2574.00	0.50	319.00	2573.69	17.52	28.33	-15.61	32.35	331.14	0.00	-44.2MTF
KOP	2700.00	0.80	315.81	2699.68	18.56	29.38	-16.58	33.73	330.55	0.24	-58.1MTF
	2731.00	1.40	301.90	2730.68	19.06	29.73	-17.06	34.28	330.16	2.10	-59.8MTF
	2763.00	1.80	300.20	2762.66	19.85	30.19	-17.82	35.06	329.45	1.26	-56.5MTF
	2827.00	4.10	303.50	2826.57	22.75	31.96	-20.60	38.02	327.20	3.60	-56.2MTF
	2889.00	5.10	303.80	2888.37	27.06	34.72	-24.74	42.63	324.53	1.61	-34.8
	2952.00	5.70	299.70	2951.09	32.31	37.82	-29.78	48.14	321.78	1.13	-7.2
	3016.00	7.20	298.20	3014.69	38.83	41.29	-36.08	54.83	318.86	2.36	-14.2
	3078.00	8.70	295.70	3076.09	46.73	45.16	-43.73	62.86	315.93	2.48	0.0
	3110.00	9.50	295.70	3107.69	51.43	47.36	-48.29	67.64	314.44	2.50	-33.3
	3174.00	11.10	290.40	3170.65	62.24	51.80	-58.82	78.38	311.37	2.90	-20.8
	3236.00	12.10	288.60	3231.39	74.25	55.95	-70.58	90.06	308.41	1.72	-38.2
	3299.00	13.10	285.20	3292.87	87.64	59.93	-83.72	102.96	305.59	1.98	-18.9

3362.00	14.50	283.30	3354.05	102.43	63.61	-98.29	117.08	302.91	2.34	-10.6
3426.00	15.20	282.80	3415.91	118.62	67.32	-114.27	132.62	300.50	1.11	-27.2
3489.00	16.30	280.80	3476.55	135.56	70.80	-131.01	148.92	298.39	1.95	-13.5
3552.00	17.70	279.70	3536.79	153.87	74.07	-149.13	166.52	296.41	2.28	-6.7
3615.00	19.10	279.20	3596.57	173.66	77.33	-168.75	185.63	294.62	2.24	24.6
3680.00	20.40	280.90	3657.75	195.50	81.18	-190.37	206.96	293.09	2.19	-6.1
3744.00	21.80	280.50	3717.45	218.38	85.45	-213.01	229.51	291.86	2.20	-23.0
3808.00	23.10	279.10	3776.60	242.69	89.60	-237.09	253.46	290.70	2.20	-18.5
3873.00	24.60	277.90	3836.05	268.89	93.48	-263.09	279.20	289.56	2.43	-31.0
3936.00	26.00	276.00	3893.01	295.77	96.73	-289.81	305.53	288.46	2.57	-82.1
3998.00	26.30	272.00	3948.67	323.08	98.63	-317.05	332.04	287.28	2.88	-79.9
4062.00	26.40	270.80	4006.02	351.46	99.32	-345.45	359.44	286.04	0.85	-166.9
4126.00	25.30	270.20	4063.61	379.31	99.57	-373.35	386.40	284.93	1.77	-90.0
4189.00	25.30	269.90	4120.57	406.17	99.59	-400.28	412.48	283.97	0.20	148.3
4253.00	24.50	271.10	4178.62	433.07	99.82	-427.22	438.73	283.15	1.48	-62.3
4347.00	24.70	270.20	4264.09	472.13	100.26	-466.35	477.00	282.13	0.45	-66.7
4443.00	25.00	268.60	4351.20	512.35	99.84	-506.69	516.43	281.15	0.77	-19.0
4507.00	25.50	268.20	4409.09	539.52	99.07	-533.98	543.09	280.51	0.83	157.0
4571.00	25.10	268.60	4466.95	566.74	98.31	-561.32	569.86	279.93	0.68	69.5
4636.00	25.40	270.40	4525.74	594.38	98.07	-589.04	597.15	279.45	1.27	97.6
4700.00	25.30	272.40	4583.58	621.76	98.74	-616.43	624.29	279.10	1.35	180.0
4762.00	25.20	272.40	4639.65	648.19	99.85	-642.85	650.56	278.83	0.16	-65.4
4857.00	25.40	271.40	4725.54	688.76	101.19	-683.43	690.88	278.42	0.50	127.0
4950.00	24.90	273.00	4809.72	728.27	102.70	-722.92	730.18	278.09	0.91	-150.0
5044.00	24.40	272.30	4895.16	767.46	104.52	-762.08	769.21	277.81	0.62	-34.9
5139.00	24.70	271.80	4981.57	806.91	105.93	-801.53	808.50	277.53	0.38	172.3
5233.00	23.80	272.10	5067.28	845.49	107.24	-840.11	846.93	277.27	0.97	-165.5
5328.00	22.90	271.50	5154.49	883.12	108.43	-877.74	884.42	277.04	0.98	-109.7
5421.00	22.70	270.00	5240.23	919.10	108.90	-913.78	920.24	276.80	0.66	11.2
5486.00	23.30	270.30	5300.06	944.44	108.97	-939.17	945.48	276.62	0.94	25.9
5569.00	23.80	270.90	5376.15	977.55	109.32	-972.34	978.46	276.41	0.67	-12.9
5664.00	24.90	270.30	5462.70	1016.65	109.72	-1011.50	1017.44	276.19	1.19	-17.7

5759.00	26.00	269.50	5548.48	1057.37	109.65	-1052.32	1058.02	275.95	1.21	3.3
5855.00	27.60	269.70	5634.16	1100.53	109.35	-1095.61	1101.05	275.70	1.67	-16.7
5951.00	29.40	268.60	5718.52	1146.17	108.65	-1141.40	1146.56	275.44	1.95	-135.2
6100.00	27.80	265.10	5849.35	1216.93	104.79	-1212.59	1217.11	274.94	1.55	-141.8
6195.00	26.20	262.20	5934.00	1259.36	100.05	-1255.45	1259.43	274.56	2.18	111.0
6226.00	26.10	262.80	5961.82	1272.75	98.27	-1268.99	1272.79	274.43	0.91	180.0
6289.00	25.90	262.80	6018.45	1299.84	94.81	-1296.39	1299.86	274.18	0.32	-173.9
6350.00	25.10	262.60	6073.50	1325.60	91.47	-1322.44	1325.60	273.96	1.32	-167.2
6440.00	24.20	262.10	6155.30	1362.37	86.48	-1359.64	1362.39	273.64	1.03	126.7
6502.00	23.70	263.80	6211.96	1387.08	83.39	-1384.62	1387.13	273.45	1.37	-149.4
6565.00	23.30	263.20	6269.74	1411.78	80.54	-1409.58	1411.88	273.27	0.74	90.0
6630.00	23.30	264.10	6329.44	1437.08	77.70	-1435.13	1437.23	273.10	0.55	67.5
6693.00	23.40	264.70	6387.28	1461.70	75.26	-1459.98	1461.92	272.95	0.41	102.2
6758.00	23.20	267.30	6446.98	1487.16	73.47	-1485.62	1487.44	272.83	1.61	-128.8
6821.00	22.80	266.00	6504.97	1511.57	72.03	-1510.19	1511.91	272.73	1.03	172.8
6886.00	22.20	266.20	6565.02	1536.22	70.34	-1535.01	1536.62	272.62	0.93	80.0
6949.00	22.50	270.00	6623.29	1560.04	69.55	-1558.94	1560.49	272.55	2.34	90.0
7012.00	22.50	272.70	6681.50	1584.12	70.12	-1583.04	1584.59	272.54	1.64	-136.0
7076.00	22.00	271.40	6740.73	1608.33	70.99	-1607.26	1608.82	272.53	1.10	15.4
7139.00	22.70	271.90	6799.00	1632.27	71.68	-1631.20	1632.78	272.52	1.15	33.1
7201.00	23.50	273.20	6856.03	1656.59	72.77	-1655.50	1657.10	272.52	1.53	153.0
7265.00	22.60	274.40	6914.92	1681.64	74.42	-1680.50	1682.15	272.54	1.59	155.2
7329.00	21.80	275.40	6974.18	1705.82	76.48	-1704.60	1706.31	272.57	1.38	-82.6
7477.00	22.00	272.00	7111.50	1761.00	80.04	-1759.66	1761.48	272.60	0.87	90.0
7604.00	22.00	274.00	7229.25	1808.56	82.53	-1807.16	1809.05	272.61	0.59	-146.2
7732.00	20.00	270.00	7348.75	1854.38	84.20	-1852.98	1854.89	272.60	1.92	90.0
7893.00	20.00	272.00	7500.05	1909.37	85.16	-1908.03	1909.93	272.56	0.42	180.0
8048.00	19.00	272.00	7646.15	1961.08	86.97	-1959.73	1961.66	272.54	0.65	-130.1
8155.00	18.00	268.00	7747.63	1994.93	87.00	-1993.67	1995.56	272.50	1.51	180.0
8239.00	17.50	268.00	7827.63	2020.40	86.10	-2019.26	2021.09	272.44	0.60	-151.5
8334.00	16.00	265.00	7918.60	2047.55	84.46	-2046.58	2048.32	272.36	1.82	0.0

8429.00	16.00	265.00	8009.92	2073.41	82.18	-2072.66	2074.29	272.27	0.00	90.0
8521.00	16.00	268.00	8098.35	2098.55	80.63	-2097.97	2099.52	272.20	0.90	-90.0
8647.00	16.00	263.00	8219.48	2132.87	77.91	-2132.56	2133.98	272.09	1.09	90.0
8743.00	16.00	265.00	8311.76	2158.93	75.15	-2158.87	2160.18	271.99	0.57	90.0
8869.00	16.00	266.00	8432.88	2193.29	72.42	-2193.49	2194.69	271.89	0.22	-90.0
8995.00	16.00	264.00	8554.00	2227.59	69.39	-2228.09	2229.17	271.78	0.44	-163.5
9154.00	13.00	260.00	8707.92	2266.54	64.00	-2267.50	2268.41	271.62	1.99	135.2
9216.00	12.00	265.00	8768.45	2279.68	62.22	-2280.79	2281.64	271.56	2.38	180.0
9374.00	8.00	265.00	8924.02	2306.77	59.83	-2308.12	2308.89	271.48	2.53	170.2
9412.00	6.30	267.70	8961.72	2311.46	59.52	-2312.84	2313.60	271.47	4.56	172.1
9443.00	6.00	268.10	8992.55	2314.76	59.40	-2316.15	2316.92	271.47	0.98	-174.1
9474.00	5.90	268.00	9023.38	2317.96	59.29	-2319.37	2320.12	271.46	0.32	-148.4
9505.00	5.50	265.40	9054.22	2321.01	59.11	-2322.44	2323.19	271.46	1.54	-171.4
9537.00	5.20	264.90	9086.09	2323.96	58.86	-2325.41	2326.16	271.45	0.95	170.3
9566.00	4.90	265.50	9114.97	2326.48	58.65	-2327.96	2328.69	271.44	1.05	-91.8MTF
9599.00	4.80	268.20	9147.85	2329.25	58.49	-2330.74	2331.47	271.44	0.76	-91.4MTF
9630.00	5.35	268.60	9178.73	2331.98	58.42	-2333.48	2334.21	271.43	1.78	8.7
9662.00	6.20	269.80	9210.57	2335.19	58.37	-2336.70	2337.43	271.43	2.68	19.4
9693.00	7.04	272.20	9241.36	2338.76	58.44	-2340.27	2341.00	271.43	2.85	2.3
9725.00	7.70	272.40	9273.10	2342.86	58.61	-2344.38	2345.11	271.43	2.06	61.1
9790.00	8.00	276.10	9337.49	2351.73	59.27	-2353.22	2353.97	271.44	0.90	52.4
9821.00	8.50	280.30	9368.17	2356.17	59.91	-2357.62	2358.38	271.46	2.53	11.0
9853.00	8.90	280.80	9399.80	2360.98	60.80	-2362.38	2363.16	271.47	1.27	46.1
9885.00	9.10	282.10	9431.41	2365.94	61.79	-2367.29	2368.09	271.50	0.89	-3.1
9917.00	9.40	282.00	9462.99	2371.03	62.86	-2372.32	2373.15	271.52	0.94	-36.2
9948.00	9.90	279.90	9493.55	2376.19	63.85	-2377.42	2378.28	271.54	1.97	130.2
9981.00	9.80	280.60	9526.07	2381.80	64.85	-2382.97	2383.86	271.56	0.47	125.8
10013.00	9.60	282.30	9557.61	2387.14	65.92	-2388.26	2389.17	271.58	1.09	45.5
10045.00	10.00	284.60	9589.14	2392.51	67.19	-2393.55	2394.50	271.61	1.75	-47.0
10076.00	10.20	283.40	9619.66	2397.87	68.51	-2398.83	2399.81	271.64	0.94	51.1
10108.00	10.50	285.40	9651.14	2403.52	69.94	-2404.40	2405.41	271.67	1.46	15.6
10140.00	10.70	285.70	9682.59	2409.28	71.51	-2410.07	2411.13	271.70	0.65	143.7

10172.00	10.60	286.10	9714.04	2415.07	73.13	-2415.75	2416.86	271.73	0.39	-37.3
10204.00	10.90	284.90	9745.48	2420.92	74.73	-2421.51	2422.66	271.77	1.17	-124.0
10235.00	10.80	284.10	9775.93	2426.65	76.19	-2427.16	2428.35	271.80	0.58	-113.8
10267.00	10.60	281.50	9807.37	2432.52	77.51	-2432.95	2434.18	271.82	1.63	-137.6
10330.00	10.20	279.40	9869.34	2443.82	79.57	-2444.13	2445.42	271.86	0.87	-143.8
10362.00	9.70	277.20	9900.86	2449.33	80.37	-2449.60	2450.92	271.88	1.96	2.0
10393.00	10.20	277.30	9931.39	2454.68	81.05	-2454.91	2456.25	271.89	1.61	2.1
10425.00	10.70	277.40	9962.86	2460.47	81.79	-2460.67	2462.03	271.90	1.56	61.3
10457.00	11.20	281.80	9994.28	2466.52	82.81	-2466.66	2468.05	271.92	3.04	-18.4
10488.00	11.50	281.30	10024.67	2472.56	84.03	-2472.63	2474.06	271.95	1.02	22.3
10515.00	11.80	281.90	10051.11	2477.97	85.13	-2477.97	2479.44	271.97	1.20	5.9
10548.00	12.00	282.00	10083.40	2484.71	86.54	-2484.63	2486.14	271.99	0.61	-121.5
10577.00	11.90	281.20	10111.78	2490.66	87.75	-2490.51	2492.06	272.02	0.67	90.0
10608.00	11.90	282.70	10142.11	2496.99	89.07	-2496.77	2498.36	272.04	1.00	111.2
10640.00	11.70	285.40	10173.43	2503.43	90.66	-2503.11	2504.76	272.07	1.83	32.1
10671.00	12.00	286.30	10203.77	2509.66	92.39	-2509.24	2510.94	272.11	1.14	45.2
10703.00	12.30	287.70	10235.06	2516.22	94.36	-2515.68	2517.45	272.15	1.31	25.6
10735.00	12.96	289.10	10266.28	2522.99	96.58	-2522.32	2524.16	272.19	2.27	-5.4
10766.00	13.20	289.00	10296.48	2529.76	98.86	-2528.95	2530.88	272.24	0.78	90.0
10797.00	13.20	289.40	10326.66	2536.59	101.19	-2535.63	2537.65	272.29	0.29	55.1
10861.00	13.50	291.20	10388.93	2550.77	106.32	-2549.49	2551.71	272.39	0.80	65.2
10924.00	13.80	293.80	10450.15	2564.86	112.01	-2563.22	2565.67	272.50	1.08	109.9
10987.00	13.70	295.00	10511.34	2578.89	118.20	-2576.86	2579.57	272.63	0.48	-135.2
11050.00	13.40	293.70	10572.59	2592.72	124.29	-2590.30	2593.28	272.75	0.68	116.6
11110.00	13.00	297.50	10631.01	2605.45	130.20	-2602.65	2605.91	272.86	1.59	-2.8
11175.00	14.00	297.30	10694.21	2619.37	137.18	-2616.13	2619.72	273.00	1.54	26.0
11240.00	14.10	297.50	10757.27	2633.84	144.44	-2630.14	2634.10	273.14	0.17	-125.7
11377.00	13.00	290.00	10890.46	2663.95	157.42	-2659.42	2664.08	273.39	1.51	90.0
11503.00	13.00	291.00	11013.23	2691.12	167.34	-2685.97	2691.18	273.57	0.18	-42.7
11682.00	13.25	290.00	11187.56	2730.08	181.57	-2724.04	2730.09	273.81	0.19	-62.6
11805.00	13.50	288.00	11307.22	2757.55	190.83	-2750.94	2757.55	273.97	0.43	102.2
11995.00	13.25	295.00	11492.08	2799.39	206.89	-2791.77	2799.43	274.24	0.86	0.0

Projection to TD 12055.00 13.25 295.00 11550.48 2812.22 212.70 -2804.23 2812.29 274.34 0.00 0.0

Survey Error Model: (No Error Model Selected)