

DRILLING PROGRAM

Attached to Form 3160-3

Devon Energy Production Company, L.P.

REVELATION "10M" FEDERAL #1

SHL: 990' FSL & 990' FWL, Unit M, Section 10-T22S-R25E

BHL: 660' FSL & 660' FWL, Unit M, Section 10-T22S-R25E

Eddy County, New Mexico

All depths assumed TVD unless otherwise qualified.

1. Geologic Name of Surface Formation

Permian

2. Estimated Tops of Important Geologic Markers

Delaware	2,300'
Bone Springs	4,257'
3rd Bone Springs Sand	7,477'
Strawn	9,270'
Lower Morrow	10,502'
TD	±10,800'

3. Estimated Depths of Anticipated Fresh Water, Oil or Gas

The estimated depths at which water, oil and gas will be encountered are as follows.

Water: Random fresh water from surface to approximately 350'

Oil: Delaware

Gas: Wolfcamp, Strawn, Atoka, Morrow

No other formations are expected to yield oil, gas or fresh water in measurable volumes. The surface fresh water sands will be protected by setting 13 3/8" casing at 375' and circulating cement back to surface. The intermediate intervals will be protected by setting 8 5/8" casing at 2,300' and circulating cement to surface. The production intervals will be isolated by setting 5 1/2" casing to total depth and circulating cement above the base of the 8 5/8" casing.