

PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address: POGO PRODUCING COMPANY P.O. BOX 10340 MIDLAND, TEXAS 79702-7340		OGRIID Number 17891
Property Name LOST TANK "35" STATE		API Number 30 - 0
Property Code	Well No. 12	

Surface Location									
UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
E	35	21S	31E		2310'	North	660'	West	EDDY

Proposed Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
Proposed Pool 1 LOST TANK-DELAWARE 40299					Proposed Pool 2				

Work Type Code N	Well Type Code O	Cable/Rotary R	Lease Type Code S	Ground Level Elevation 3505'
Multiple NO	Proposed Depth 8500'	Formation DELAWARE	Contractor UNKNOWN	Spud Date WHEN APPROVED

Proposed Casing and Cement Program					
Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17½"	13 3/8"	54.5	800'	775	SURFACE
11"	8 5/8"	24 & 32	4300'	1400	SURFACE
7 7/8"	5½"	15.5 & 17	8500'	1400	SURFACE

Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

1. Drill 17½" hole to 800'. Run and set 800' of 13 3/8" J-55 54.5# ST&C casing. Cement with 775 Sx. of Class "C" cement + 2% CaCl, circulate cement to surface-
2. Drill 11" hole to 4300'. Run and set 4300' of 8 5/8" J-55 24 & 32 # ST&C casing. Cement with 1400 Sx. of Class "C" cement + additives, circulate cement to surface.
3. Drill 7 7/8" hole to 8500'. Run and set 8500' of 5½" 15.5 & 17 # J-55 LT&C casing. Cement with 1400 Sx. of Class "C" & Class "H" + additives, circulate cement to surface.

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Joe T. Janica</i>		OIL CONSERVATION DIVISION	
Printed name: Joe T. Janica		Approved by:	
Title: Agent		Title:	
Date: 02/16/98		Approval Date:	Expiration Date:
Phone: 505-392-2112		Conditions of Approval: Attached <input type="checkbox"/>	

DISTRICT I
P.O. Box 1980, Hobbs, NM 88241-1980

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised February 10, 1994
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT II
P.O. Drawer DD, Artesia, NM 88211-0719

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
P.O. BOX 2088, SANTA FE, N.M. 87504-2088

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 40299	Pool Name LOST TANK-DELAWARE
Property Code	Property Name LOST TANK "35" STATE	Well Number 12
OGRID No. 17891	Operator Name POGO PRODUCING COMPANY	Elevation 3505


Surface Location

UL or lot No. E	Section 35	Township 21 S	Range 31 E	Lot Idn	Feet from the 2310	North/South line NORTH	Feet from the 660	East/West line WEST	County EDDY
--------------------	---------------	------------------	---------------	---------	-----------------------	---------------------------	----------------------	------------------------	----------------


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief.</p> <p><i>Joe T. Janica</i> Signature</p> <p>Joe T. Janica Printed Name</p> <p>Agent</p> <p>Title</p> <p>02/16/98 Date</p> <p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief.</p> <p>FEBRUARY 9, 1998</p> <p>Date Surveyed</p> <p>Signature & Seal of Professional Surveyor</p> <p>JOHN W. EIDSON 08-11-0202</p> <p>DMCC</p> <p>Certificate No. JOHN W. EIDSON 676 3239 12641</p>
---	--

VICINITY MAP



SCALE: 1" = 2 MILES

SEC. 35 TWP. 21-S RGE. 31-E

SURVEY N.M.P.M.

COUNTY EDDY

DESCRIPTION 2310' FNL & 660' FWL

ELEVATION 3505


OPERATOR POGO PRODUCING COMPANY

LEASE LOST TANK "35" STATE

**JOHN WEST ENGINEERING
HOBBS, NEW MEXICO**

(505) 393-3117

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL:
LIVINGSTON RIDGE - 10'
THE DIVIDE - 10'

SEC. 35 TWP. 21-S RGE. 31-E

SURVEY N.M.P.M.

COUNTY EDDY

DESCRIPTION 2310' FNL & 660' FWL

ELEVATION 3505

OPERATOR POGO PRODUCING COMPANY


LEASE LOST TANK "35" STATE


U.S.G.S. TOPOGRAPHIC MAP

LIVINGSTON RIDGE, THE DIVIDE, N.M.

**JOHN WEST ENGINEERING
HOBBS, NEW MEXICO**

(505) 393-3117





HAND AJUSTABLE CHOKE

POGO PRODUCING CO
3M CHOKE MANIFOLD

