

(SUBMIT IN TRIPLICATE)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____

Lease No. LC 064182-A

Unit _____ **RECEIVED**

SEP 28 1967

SUNDRY NOTICES AND REPORTS ON WELLS

□. C. C.
ARTESIA, OFFICE

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	X
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 14, 1952

Well No. 1 is located 330 ft. from N line and 330 ft. from W line of sec. 24

NW/4 of Sec. 24 24-S 26-E N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Black River Eddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3263 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The following work was performed and completed as of today:

A 15 sx plug was placed from 1650 - 1720. 860' of 7" casing was salvaged. 7" was mudded with heavy mud to within 10' of the top of 7" left in hole. A 10 sx plug was placed in the top of the 7" and extended up 40' into open hole. Hole mudded back and a cement plug was placed 150-200 after 8" casing was pulled. a 5 sx plug was placed in top of 10" and 4" marker set. Location is ready for inspection.

U. S. GEOLOGICAL SURVEY
RECEIVED

JAN 16 1952

ARTESIA, NEW MEXICO

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company York & Harper, Inc.

Address Box 1081

Midland, Texas

By L. L. Huffman

Title Geologist



SERIAL NUMBER 44102A

LEASE OR PERMIT TO PROSPECT

RECEIVED
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SEP 28 1967U.S. GEOLOGICAL SURVEY
RECEIVED
FEB 12 1951
ARTESIA, NEW MEXICOO. C. C.
ARTESIA, OFFICE

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Allan Hargrave Address P O Box 313, Midland, Texas
Lessor or Tract Bradley Field wild-cat State New Mexico
Well No. 1 Sec. 24 T. 24S R. 26E Meridian N.M.P.M. County Eddy
Location 330 ft. N. of N Line and 330 ft. Ex of W Line of Section Elevation 3263
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date February 9, 1951Signed Quadrupracy
Title

The summary on this page is for the condition of the well at above date.

Commenced drilling December 23, 1950 Finished drilling January 17, 1951

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 1973 to 1986 No. 4, from 1973 to 1986
No. 2, from 1973 to 1986 No. 5, from 1973 to 1986
No. 3, from 1973 to 1986 No. 6, from 1973 to 1986

IMPORTANT WATER SANDS

No. 1, from 50 to 63 65 No. 3, from 50 to 63 65
No. 2, from 190 to 196 No. 4, from 50 to 63 65

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
10	11	8	H-40	141	Tex Std	shut off water			shut off water
8 5/8	11	8	H-40	275	"	shut off water			shut off water
7	17#	8	H-40	1945	"	oil string			oil string

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
7	1945	25	Halliburton		75 sks.

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
	5"	Nitroglycerine	60 qts	1-25	1970-86	pipe collapsed. cleaned out to approximately 1885

TOOLS USED

FOLD MARK