

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces, N.M.  
Lease No. 067214  
Unit \_\_\_\_\_

FEDERAL WIGGS

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Midland, Texas May 4, 1949

Well No. 1 is located 1980 ft. from [N] line and 1980 ft. from [E] line of sec. 31

SW/4 of NE/4 of Sec. 31 24-S 27-E \_\_\_\_\_  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Black River Wildcat Eddy New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3460 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 13-3/8 inch casing as follows:

Size	Amount	Weight	Set At	Formation	Total Depth of Well	No. Sacks Make Cement	Plug on Bottom
13-3/8"	383'	46#	400'	Anhy.	1027'	425 Sacks El Toro	8:00 AM 5-4-49

Halliburton method used.  
Circulated out approx. 50 sacks cement.  
Will test casing with 750# at 8:00 AM, 5-5-49.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company

Address Box 1600

Midland, Texas

By [Signature]  
Title Asst. Division Superintendent