


N

AREA 640 ACRES
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

York & Harper, Inc., P.O. Box 1031, Midland, Texas
Company or Operator
State _____ Well No. 2 in NW/4 of Sec. 36, T. 224-S
Lease
R. 27-E., N. M. P. M., Wildcat Field, Eddy County.
Well is 660 feet south of the North line and 4620 feet west of the East line of Section 36
If State land the oil and gas lease is No. E-1627-1 Assignment No. 1
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is York & Harper, Inc. Address Box 1031, Midland, Texas
Drilling commenced October 21 1949 Drilling was completed December 2 1949
Name of drilling contractor C. A. Martin Address Midland, Texas
Elevation above sea level at top of casing 3157 feet.
The information given is to be kept confidential until No restriction 19____

OIL SANDS OR ZONES Dry and Abandoned. No oil sands.

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 161 to 162 feet. 1' H.F.W.
No. 2, from 135 to 125 feet. 10' - 5 bailers per hour.
No. 3, from 466 to 469 feet. 3' Unable to bail down.
No. 4, from 569 to 575 feet. H.F.W.
1161 1173 H.F.W.
2500 to 2520 CASING RECORD 210' W.I.H. 12 hours.

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>10 3/4"</u>				<u>498</u>					<u>Water shutoff.</u>
<u>8 5/8"</u>				<u>612</u>					<u>" " "</u>
<u>7"</u>				<u>1350</u>					<u>" " "</u>

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>Well dry and abandoned - Formation shutoff used on all pipe for temporary purposes. All pipe pulled.</u>						

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		<u>No shots or acid jobs.</u>				

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 2520 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing Dry and abandoned 19____
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be. _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Albert R. Martin Driller J. M. Cribbs Driller
J. A. Woodsley Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 27th _____ Midland, Texas 12-27-49
Name W. L. Huffman

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	6	6	Caliche
6	136	130	Gravel
136	161	25	Lime
161	166	5	Gravel
166	163	2	Red Bed
163	231	63	Lime
231	269	38	Red Beds
269	274	5	Lime
274	300	26	Anhydrite and lime
300	353	53	Shale and anhydrite
353	400	42	Red Beds
400	466	66	Anhydrite
466	1613	1152	Anhydrite, lime and gyp.
1613	1713	100	Salt
1713	1840	122	Anhydrite and lime
1840	2175	335	Salt
2175	2333	209	Anhydrite and Lime
2333	2430	47	Black lime (Delaware)
2430	2520	90	Delaware sand

T. D. 2520