


SANTA FE
ARIZONA
MAY 1952

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

Approved

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

DeWitt Agricultural Association, Inc. 306 Interoak National Building, Interoak, Texas

Company or Operator: **James** Well No. **2** in **11-11-13** of Sec. **13** Address **2-South**
Lease **2-East** N. M. P. M. **Palaga** Field, **Palaga** County.
Well is **1650** feet south of the North line and **1650** feet west of the East line of **Section 13**
If State land the oil and gas lease is No. **Not** Assignment No. **Not**
If patented land the owner is **Robert L. Jones** Address **Palaga, New Mexico**
If Government land the permittee is **Not** Address **Not**
The Lessee is **DeWitt Agricultural Assn., Inc.** Address **Interoak, Texas**
Drilling commenced **April 10** 19 **52** Drilling was completed **April 25** 19 **52**
Name of drilling contractor **St. John and Lunsford** Address **Midway Falls, Texas**
Elevation above sea level at top of casing **2966** feet.
The information given is to be kept confidential until **Not** 19 **Not**

OIL SANDS OR ZONES

No. 1, from **2743** to **2757** No. 4, from **Not** to **Not**
No. 2, from **Not** to **Not** No. 5, from **Not** to **Not**
No. 3, from **Not** to **Not** No. 6, from **Not** to **Not**

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **280** to **275** feet.
No. 2, from **Not** to **Not** feet.
No. 3, from **Not** to **Not** feet.
No. 4, from **Not** to **Not** feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
5-5/8"	24	3rd.	Well.	277	Wellhead				Surface
5-1/2"	17	3rd	3 Chester	2730	down				Oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	5-5/8"	299	100	Pump		
7-7/8"	5-1/2"	2730	100	Pump		

PLUGS AND ADAPTERS

Heaving plug—Material **None** Length **Not** Depth Set **Not**
Adapters — Material **Not** Size **Not**

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Hydramine	1,500 gal.	4-25-52	2743-2757	

Results of shooting or chemical treatment **Swabbed approximately 6 barrels of fluid per hour after treatment.**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **2730** feet, and from **Not** feet to **Not** feet
Cable tools were used from **2730** feet to **2757** feet, and from **Not** feet to **Not** feet

PRODUCTION

Put to producing **April 26** 19 **52**
The production of the first 24 hours was **80.60** barrels of fluid of which **75** % was oil; **25** % emulsion; **25** % water; and **Not** % sediment. Gravity, Be **42-44**
If gas well, cu. ft. per 24 hours **Not** Gallons gasoline per 1,000 cu. ft. of gas **Not**
Rock pressure, lbs. per sq. in. **Not**

EMPLOYEES

K. H. Wooten Driller **Not** Driller
E. U. Ford Driller **H. L. Fellows** Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **6**day of **May** 19 **52**

Lelia Surke Notary Public
My Commission expires **June, 1953**

Interoak, Texas**May 6, 1952**Name **Paul Hugh** Date **Not**Position **Manager**Representing **DEWITT AGRICULTURAL ASSN., INC.**Address **Interoak, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
200	2550	2250	Salt and Anhydrite
2550	2667	119	Anhydrite
2669	2700	31	Limestone and shale
2700	2757	57	Hard