


N

AREA 640 ACRES
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

DeKalb Agricultural Assn., Inc. 306 Lubbock National Building, Lubbock, Texas
Company or Operator Address
Prewitt Well No. **1** in **NE NE NE** of Sec. **13**, T. **24-South**
Lease
R. **28 East**, N. M. P. M., **Malaga** Field, **Eddy** County.
Well is **330** feet south of the North line and **330** feet west of the East line of **Section 13**.
If State land the oil and gas lease is No. **Not** Assignment No. **Not**.
If patented land the owner is **Floy Prewitt**, Address **Malaga, New Mexico**.
If Government land the permittee is **Not**, Address .
The Lessee is **DeKalb Agricultural Assn., Inc.**, Address **Lubbock, Texas**.
Drilling commenced **May 9, 1952** Drilling was completed **May 28 1952**.
Name of drilling contractor **S & W Drilling Company**, Address **Midland, Texas**.
Elevation above sea level at top of casing **2962** feet.
The information given is to be kept confidential until **Not** 19.

OIL SANDS OR ZONES

No. 1, from **2746** to **2754** No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **200** to **225** feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8-5/8	28	8-Rd.	Natl.	289	Howco				Cemented with
5-1/2	17	8-Rd.	Natl.	2739	"				100 Sacks, Cir.
									100 Sacks Cement

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8	289	100	Halliburton	Pump	
7-7/8"	5-1/2	2739	100	Halliburton	Pump	

PLUGS AND ADAPTERS

Heaving plug—Material **None** Length Depth Set
Adapters — Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
Hydrafrac with			1,500	5-26-52	2744-2754	

Results of shooting or chemical treatment. **Tested 30% oil 70% water after Hydrafrac**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **2739** feet, and from feet to feet.
Cable tools were used from **2739** feet to **2754** feet, and from feet to feet.

PRODUCTION

Put to producing **June 2, 1952**.
The production of the first 24 hours was **39** barrels of fluid of which **45** % was oil; % emulsion; **35** % water; and % sediment. Gravity, Be. .
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas .
Rock pressure, lbs. per sq. in. .

EMPLOYEES

Lennie Wright, Driller **Fred Risley**, Driller
W. T. Lumpkin, Driller **Bull Brent**, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **6**day of **June**, 19**52**.

Lola J. Parker
Notary Public

My Commission expires **June, 1953**

Lubbock, Texas **June 6, 1952**
Place Date

Name *L. H. Brown*Position **Supt.**Representing **DEKALB AGRICULTURAL ASSN., INC.**Company or Operator
Address **Lubbock, Texas, 306 Lubbock Natl. Bldg.**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
300	2540	2240	Salt and Anhydrite
2540	2670	130	Anhydrite
2670	2702	32	Limestone and shale
2702	2754	52	Sand