


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies



AREA 640 ACRES
LOCATE WELL CORRECTLY

Robert L. Sungenl

(Company or Operator)

Reed-Edato

(Lease)

Well No. 1, in NE 1/4 of SW 1/4 of Sec. 27, T. 34S, R. 30E, NMPM.

Wildcat

Reddy

Pool, County.

Well is 2280 feet from South line and 1000 feet from West line

of Section 27. If State Land the Oil and Gas Lease No. is E-2208

Drilling Commenced November 20, 1956. Drilling was Completed December 26, 1956

Name of Drilling Contractor W-W Drilling Company

Address Box 120 - Carlsbad, New Mexico

Elevation above sea level at Top of Tubing Head 2081

The information given is to be kept confidential until not applicable, 19

OIL SANDS OR ZONES

No. 1, from 2081 to 2082 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 53 to 53 feet. N/W

No. 2, from 367 to 380 feet. N/W

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-5/8"	32	New	200	Reg.	100'	None	Water shut-off
8-1/8"	24	Used	242	Reg.	242'	None	Water shut-off
6-1/8"	18	Used	2000	Reg.	200'	2504'-2615'	Oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	10-5/8"	200	80	Halliburton		
6"	6-1/8"	2082	200	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Proced with 2000 lbs. lease oil and 1000' sand through perforations from 2504' to 2615'

Did not increase oil sufficiently to make commercial well

Result of Production Stimulation and increased water by 80 bbls. per day

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from.....feet to.....feet, and from.....feet to.....feet.
Cable tools were used from.....feet to.....feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing....., 19.....
OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....
GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.
Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....			
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....			
B. Salt.....	T. Montoya.....	T. Farmington.....			
T. Delaware lime.....	T. Simpson.....	T. Pictured Cliffs.....			
T. Delaware Sand.....	T. McKee.....	T. Menefee.....			
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....			
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....			
T. San Andres.....	T. Granite.....	T. Dakota.....			
T. Glorieta.....	T.	T. Morrison.....			
T. Drinkard.....	T.	T. Penn.....			
T. Tubbs.....	T.	T.			
T. Abo.....	T.	T.			
T. Penn.....	T.	T.			
T. Miss.....	T.	T.			

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	35	35	Sand	2500	2540	40	Sandy shale-black
35	150	115	Red Bed	2540	2582	42	Sand-oil show 2501-2582
150	175	25	Sandy lime				T.D. 2582
175	203	28	Red Bed				
203	270	67	Sand & lime				
270	305	35	Sand, red sh.-gyp				
305	335	30	Red Bed				
335	380	45	Red Bed & gyp				
380	390	10	Gyp				
390	435	45	Sand				
435	475	40	Anhydrite				
475	515	40	Salt				
515	575	60	Sand & Anhydrite				
575	590	15	Sand				
590	635	45	Anhydrite & Red Beds				
635	1020	385	Salt				
1020	1425	405	Anhydrite				
1425	1445	20	Salt				
1445	1760	315	Anhydrite				
1760	1950	190	Salt				
1950	2045	95	Anhydrite				
2045	2335	290	Salt				
2335	2520	185	Anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator.....
Name.....
Address.....
Position or Title.....