

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

Plugging
FIELD REPORT FOR CEMENTING OF WELLS

Operator <i>Robert L. Gleason</i>		Lease <i>Wheeler State</i>		Well # <i>1</i>	
Location of Well	Unit <i>D</i>	Section <i>15</i>	Township <i>23S</i>	Range <i>26E</i>	County <i>DOUGLAS</i>
Plugging Drilling Contractor <i>Buffalo Log Co</i>			Type of Equipment <i>Cable Tool</i>		
<u>APPROVED CASING PROGRAM</u> <i>entire hole later plugging</i>					
Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
	<i>8 5/8"</i>	<i>10</i>		<i>600</i>	<i>200 lbs</i>
	<i>Cut & pulled 8 5/8" at 570'</i>				
Casing Data:					
Surface _____ joints of _____ inch _____ # Grade _____ (Approved) (Rejected) _____					
Inspected by _____ date _____					
Cementing Program					
Size of hole _____ Size of Casing _____ Sacks cement required _____					
Type of Shoe used _____ Float collar used _____ Btm 3 jts welded _____					
TD of hole <i>1945</i> Set _____ Feet of _____ Inch _____ # Grade _____					
New-used csg. @ _____ with _____ sacks neat cement around shoe					
+ _____ sax _____ additives _____					
Plug down @ _____ (AM) (PM) Date _____					
Cement circulated _____ No. of Sacks _____					
<i>Plugged</i> Cemented by <i>HALLIBURTON</i> Witnessed by _____					
Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____					
Casing test @ _____ (AM) (PM) Date _____					
Method Used _____ Witnessed by _____					
Checked for shut off @ _____ (AM) (PM) Date _____					
Method used _____ Witnessed by <i>LEBKEY - 2-23-62</i>					
Remarks: <i>Hole loaded with mud before plugging, plugs pumped in through tubing.</i>					
<i>Plugged as follows:</i>					

1. 1945' 25' 10"

2. 1150' - 20' 10"

10' 20'