

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NM OIL CONS COMMISSION
FORM APPROVED
Drawer DD Budget Bureau No. 1004-0135
Expires March 31, 1993
Artesia NM-88210
Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Barbara Fasken

3. Address and Telephone No.

303 W. Wall, Suite 1900, Midland, TX 79701

(915) 687-1777

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit K, 1980' FSL & 1980' FWL, Sec. 17, T-23-S, R-23-E

NM-3597

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Mershon "17" Federal #1

9. API Well No.

30-015-10368

10. Field and Pool, or Exploratory Area

Chaves Undes. Penn

11. County or Parish, State

Eddy

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Propose to plug and abandon well as follows: (current wellbore diagram attached).

1. POW w/4½" pkr. and 2-3/8" tbg.
2. Set 4½" CIBP on wireline @ 9635'.
3. RIW w/tbg. and displace well w/mud laden brine water. Spot 10 sx Class "H" @ 9635'. POW w/tubing.
4. Freepoint 4½" csg., cut off and recover estimated 8000' of casing.
5. Spot Class "H" plugs as follows: (s.w. 16.4 ppg, yield 1.06 cuft/sk)
 - a. 25 sx @ 8050' (50' inside 4½" stub). TAG THIS PLUG
6. Spot Class "C" plugs as follows: (s.w. 14.8 ppg, yield 1.32 cuft/sk)
 - a. 30 sx @ 5100'
 - b. 30 sx @ 2050' (9-5/8" shoe plug). TAG THIS PLUG.
 - c. 30 sx @ 327' (13-3/8" shoe plug).
 - d. 20 sx @ 50' Surface plug
7. Cut off casing 3' below ground level and erect marker.
8. Remove all equipment, rip and reseed location with BLM approved seed.

14. I hereby certify that the foregoing is true and correct

Signed Carl Brown Title Petroleum Engineer Date 5-12-94

(This space for Federal or State office use)

(ORIG. SGD.) JOE G. LARA

Approved by Title PETROLEUM ENGINEER

Conditions of approval, if any:

see attached.

Date 6/6/94