Gauge No.	35	Depth	3315'	Clock No.	6112	12 hour	Ticket No.	286996

	First Flow Period		First Closed In Pressure			Second Flow Period		Second Closed In Pressure			Third Flow Period		Third Closed In Pressure		
	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	Log $\frac{t+\theta}{\theta}$	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	Log $\frac{t+\theta}{\theta}$	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	Log $\frac{t+\theta}{\theta}$	PSIG Temp. Corr.
0	.000	15	.000		28	.000	32	.000		67					
1	.0473	18	.0301		1071	.0683	39	.082		1295					
2	.0946	23	.0802		1350	.1366	45	.164		1399					
3	.1420	28	.1203		1437	.2049	51	.246		1450					
4			.1604		1483	.2732	56	.328		1482					
5			.2005		1510	.3415	63	.410		1505					
6			.2406		1531	.4030	67**	.492		1522					
7			.2807		1547			.574		1535					
8			(.308		1555)			.656		1546					
9			.3208		UTR			.738		1554					
10			.3609		UTR			.820		1562					
11			.4070		UTR*										
12															
13															
14															
15															

Gauge No.	1636	Depth	3370'	Clock No.	6728	24 hour

0	.000	62	.000		67	.000	72	.000		101					
1	.0233	59	.0201		1108	.0337	76	.0406		1328					
2	.0466	63	.0402		1377	.0675	80	.0812		1427					
3	.0700	67	.0603		1461	.1012	86	.1218		1477					
4			.0804		1515	.1349	92	.1624		1514					
			.1005		1545	.1686	98	.2030		1538					
6			.1206		1568	.1990	101**	.2436		1554					
7			.1407		1584			.2842		1568					
8			(.152		1590)			.3248		1579					
9			.1608		UTR			.3654		1587					
10			.1809		UTR			.4060		1595					
11			.2040		UTR *										
12															
13															
14															
15															

Reading Interval	7	6	10	12				55 minutes

REMARKS: *Last interval equal to 7 minutes **Last interval equal to 9 minutes UTR =Unable to read. Tool bypassed after 46 minutes of initial closed in pressure.

SPECIAL PRESSURE DATA