

RECEIVED & Well. 1-Engr. Jim, 1-File, 1-Foreman CK, 10JA-1-BW, 1-Laura Richardson Form Approved. Form 9-331 Drawer DD Budget Bureau No. 42-R1424 -CP, 1-CB 1985 Artesia, NM 88213. LEASE UNITED STATES DEPARTMENT OF THE INTERIOR __ NM-12841 O. C. D. **GEOLOGICAL SURVEY** 6. IF INDIAN, ALLOTTEE OR TRIBE NAME ARTESIA, OFFICE 7. UNIT AGREEMENT NAME SUNDRY NOTICES AND REPORTS ON WELLS Cedar Canyon 10 (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) 8. FARM OR LEASE NAME Cedar Canyon 10 gas well X other well 9. WELL NO. ---2. NAME OF OPERATOR 10. FIELD OR WILDCAT NAME Getty Oil Company 3. ADDRESS OF OPERATOR Cedar Canyon-Morrow Gas 11. SEC., T., R., M., OR BLK. AND SURVEY OR Box 730, Hobbs, NM 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 Sec. 10, T-24S, R-29E below.) AT SURFACE: Unit Ltr. F, 2180' FNL & 1980' FWL AT TOP PROD. INTERVAL: 12. COUNTY OR PARISH 13. STATE Eddy AT TOTAL DEPTH: 14. API NO. 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 15. ELEVATIONS (SHOW DF, KDB, AND WD) 2997' KB REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (NOTE: Report results of multiple completion or zone PULL OR ALTER CASING MULTIPLE COMPLETE **CHANGE ZONES** ABANDON* OIL & CAS U.SP BEQLOGICAL SURVEY (other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 9/1/82 Move in and rig up X-pert. Ran 9 5/8" Howco cement retainer on 2 3/8" tubing. Set @ 3470'. (Perfs 3526-90'). Howco cemented with 150 sxs "C" cement with .6% Halad-9. Pull out of retainer 9/2/82 at 3470'. (Perf 3526-90). Pull tubing to 1000' displace hole with 245 bbls brine, pull tubing. Geosource perf 2 holes at 710'. Ran Howco 9 5/8" retainer set @ 593' pump 300 sxs class "C". Pull tubing, spot 25 sacks class "C" from 0' to 25'. Plugged and abandoned well. Subsurface Safety Valve: Manu. and Type ____ Set @ 18. I hereby certify that the foregoing is true and correct TITLE Area SuperintendtoATE ___ September 7, 1982 SIGNED _ C. D. Mark This space for Federal or State office use) APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:

ble me