N. M. O. O. G. COPY

Cary to SF Form approved. Budget Bureau No. 42-R1.24.

TED STATES SUBMIT IN T. CATE OF THE INTERIOR (Other Instructions on reverse side) GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.

GEOFOGICAE	SOUVE	

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different recornet

NM-0426782 6. IF INDIAN, ALLOTTEE OR TRIBE NAME

	Use "APPLICA"	TION FOR PERMIT—" for such	proposals.)			
1.	OIL GAS WELL OTHER	Dry	REC	EIVE	D7. UNIT AGREEMENT	NAME
2.	NAME OF OPERATOR				8. FARM OR LEASE NA	AME
	HANAGAN PETROLEUM CO	RPORATION:	MAR	1 2 1973	Sheep Draw	
3.	ADDRESS OF OPERATOR				9. WELL NO.	
	P. O. Box 1737, Rosw	ell, New Mexico 88	201	ם ר	1	
4.	LOCATION OF WELL (Report location clearly and in accordance with any State requirements. ARTESIA, DFFICE		10. FIELD AND POOL,	OR WILDCAT		
	At surface		,	,	Wildcat //	1 "
	1980' FNL & 660' FEL				11. SEC., T., R., M., OR SURVEY OR ARE	BLK. AND
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				11-23S-25E	
14.	PERMIT NO.	15. ELEVATIONS (Show whether	DF, RT, GR, etc.)	•	12. COUNTY OR PARIS	H 13. STATE
		3736' KB			Eddy	N.M.
16.	Check Ap	propriate Box To Indicate	Nature of Notice	e, Report, or	Other Data	
		TON MO.				

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE		ABANDON*	_X_	SHOOTING OR ACIDIZING	ABANDON MENT*
REPAIR WELL		CHANGE PLANS		(Other)	
(Other)			(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
DURCHIPE UPONOSED OR COMPLETED OPERATIONS (Closuly state all postingut details and the marking the dates including action and the state of the state					

SCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 11,570' sh. - Plan P&A as verbably approved by Mr. Beekman by phone 3/4/73 as follows:

Cement plug @ 10950-11050 (7-7/8" hole), 9800-9900 (8-3/4"), 8500-8600 (8-3/4"), 6400-6500' (8-3/4"), 4900-5000 (8-3/4"), 2380-2480 (in and out of 9-5/8" csg. @ 2430), 10 sx. plug @ surface w/appropriate dry hole marker. No casing pulled, heavy drilling mud between all plugs. Work to begin immediately.

RECEIVED

MAR - 61973 U. S. GEOLOGICAL SURVEY ABTESIA, NEW MEXICO

18. I hereby certify that the foregoing strue and correct SIGNED TITLE	Vice President	DATE 3/5/73
APPROVED BY APPROVAL, IF ANY:		DATE

*See Instructions on Reverse Side