

N. M. O. C. C. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN
(Other instru
verse side)LOCATE
s on re-Form approved,
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0353184

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Bowden Federal "25"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Crawford/Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 25, T24S, R26E

NMPM

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

HNG OIL COMPANY

3. ADDRESS OF OPERATOR

P. O. Box 767, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FSL & 660' FEL, Sec. 25, T-24-S, R-26-E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3362' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Set Production Liner

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

Drilled out from under intermediate 3-27-73. Drilled 6-1/2" hole to 12,125'.
Top of 5" Liner @ 9053'. Ran 54 jts. of 5", 18#, N-80 LT&C. 24 jts. of 4-1/2",
13.50 #, N-80 LT&C. Cement with 500 sks. Class H w/3/4% CFR-2 & 7#/sk. salt
@ 15.6 ppg (yield 1.18 CF/SK). Pressured up to 1250# for 45 minutes; Pressure held.
Cementing done by Halliburton Services.

18. I hereby certify that the foregoing is true and correct

SIGNED

RR Frasier

TITLE

Petroleum Engineer

DATE 6-4-73

(This space for Federal or State office use)

APPROVED BY

Dr. C. E. Frasier

TITLE

Petroleum Engineer

DATE

JUN 13 1973

CONDITIONS OF APPROVAL, IF ANY: