

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen a well, or to plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐

2. NAME OF OPERATOR

Mobil Oil Corporation

3. ADDRESS OF OPERATOR

3 Greenway Plaza Suite 800, Houston, TX 77046

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 660' FSL & 1980' FWL of Sec. 13,
AT TOP PROD. INTERVAL: T-23-S, R-26-E
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☒REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON* ☐(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

MAY 15 1978

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1) Move in and rig up trucks to Morrow zone.
- 2) Acidize zone w/5000 gallons foamed acid at 6-8 BPM if pressure allows. (Do not exceed 5,000 psi). The acid mix is formed by adding 55% by volume Nitrogen and 45% HCl acid mixture. The acid mixture contains clay stabilizer as well as necessary foaming additives. Nitrogen volume will range from 3300 SCF/min to 6000 SCF/min depending on the exact bottom hole pressure encountered.
- 3) Flow well back as soon as possible after completion of the treatment into a pit.

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

L. W. DeBore

TITLE Authorized Agent

DATE

5/9/78

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

Joe J. Lara

(This space for Federal or State office use)

ACTING DISTRICT ENGINEER

MAY 16 1978