Form 9-331 (May 1963)

## UNI D STATES SUBMIT IN TRIPLA

Cary USF

		Form a Budget	pprov Bure:	eđ. au N	o. 4	12-R	142
5.	LEASE	DESIGN	ATION	AND	SEI	RIAL	NO.

DATE \_

DEPARTMENT OF THE INTERIOR (Other instructions on re-	5. LEASE DESIGNATION AND SERIAL NO. NM 0501759		
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)	G. IF INDIAN, ALLOTTEE OR TRIBE NAME		
OIL GAS WELL X OTHER	7. UNIT AGREEMENT NAME		
2. NAME OF OPERATOR FEB 7 1974	8. FARM OR LEASE NAME		
MONSANTO COMPANY	AVALON HILLS		
3. ADDRESS OF OPERATOR	9. WELL NO.		
101 North Marienfeld, Midland ARTESAS OFFICE	1		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements *	10. FIELD AND POOL, OR WILDCAT		
See also space 17 below.) At surface	Burton Flat - Morrow		
660' FSL & 1980' FWL Section 7	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		
	Sec. 7, T-21S, R-27E		
14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE		
3199 DF; 3185 Gr.	Eddy New Mexico		
16. Check Appropriate Box To Indicate Nature of Notice, Report, or O	ther Data		
Vancar on 101-101-101	UENT REPORT OF:		
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF X	]		
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT	REPAIRING WELL ALTERING CASING		
SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING	ABANDONMENT*		
REPAIR WELL CHANGE PLANS (Other) Spud	abanbon start		
(Other) (Note: Report results	of multiple completion on Well tion Report and Log form.)		
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical nent to this work.)*  Spudded 17½" hole 5:00 P.M. 1/23/74.	including estimated date of starting any depths for all markers and zones perti-		
Drilled 17½" hole to 619'; Set 13 3/8" 48# H-40 ST&C Casing a 600 Sx. Halliburton Lt Wt, ¼# flocele, 5# Gilsonite per Sx., 2 Class "C" w/ 2% CaCl. Plug down 4:30 AM 1/25/74. Cement did Ran 1" in annulus found top cement 135' from surface; Cemented w/ 160 Sx. Class "C", 4% CaCl; Job complete 4:00 P.M. 1/25/74 WOC 18 Hrs. & tested w/ 800 psi for 30 Mins., held OK.	% CaCl and 150 Sx. not circulate; to surface thru 1"		
	e e e e e e e e e e e e e e e e e e e		
	CENED		
	Bearing The Control of the Control o		
	S GEOLUGICAL SURVEY. NEW MEXICO		
18. I hereby certify that the foregoing is true and correct  SIGNED	DATE 2/5/74		
(This space for Federal or State office use)			