N.M.

3.

At surface

## UN. LD STATES DEPARTMENT OF THE INTERIOR (Other for verse side)

instructions on re-

5. LEASE DESIGNATION AND SERIAL NO.

Wildcat

GEOLOGICAL SURVEY		NM 9978-A	
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT -" for such proposals.)		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
WELL GAS CTHER Dry Hole	RECEIVE	7. UNIT AGREEMENT NAME	
NAME OF OPERATOR  The Desana Corporation	<b>O</b> CT 3 0 1974	S. PARM OF LEASE NAME Tin Henry Fed. Com.	
310 Vaughn Building, Midland, Texas 79701	O. C. C.	9. WELL NO.	
LOCATION OF WELL (Report location clearly and in accordance with any Str See also space 17 below.)	ate requirementer: UFFICE	10. FIELD AND POOL, OR WILDCAT	

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 1980' FS & 1980' FE Lines, Sec. 30, T-23-S, R-23-E, Eddy County, New Mexico Sec. 30, T-23-S, R-23-E 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH 13. STATE

Eddy 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF : TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL MULTIPLE COMPLETE FRACTURE TREATMENT ALTERING CASING SHOOTING OR ACIDIZING ABANDON MENT\* ABANDON\*

FRACTURE TREAT SHOOT OR ACIDIZE CHANGE PLANS REPAIR WELL (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spudded 3-2-74. Drilled 12-1/4" hole to 2800'. Ran 8-5/8", 24# Casing. Set @ 2800' and cemented with 900 sx. Circ. cement to surface. Drilled 7-7/8" hole to 10,390' TD. No Commercial Production Indicated. Plugged and Abandoned well as follows on 4-12-74.

> 10,000' - 9,900' 40 sx. cement plug 9,3001 - 9,2001 45 sx. cement plug 8,260' - 8,160' 55 sx. cement plug 7,040' - 6,940' 50 sx. cement plug 5,600' - 5,500' 50 sx. cement plug 4, 250' - 4, 150' 50 sx. cement plug 2,850' - 2,750' 60 sx. cement plug 20' - Surface 15 sx. cement plug

Marker erected. Location cleared of debris and surplus material. Reschain fenced and are now drying.

> U.S. GEOLOGICAL SHIVEY ARTESIA. NEW MEXILA.

<b>/</b> •		
18. I hereby certify that the foregoing is true and correct		
SIGNED AT E. CONF	TITLE Admin. Supervisor	DATE 5-16-74
(This space for Federal or State office use)		
CONDITIONS OF APPROVAL IF ANY:	TITLE	DATE

\*See Instructions on Reverse Side