

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy <u>265'</u>	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn <u>L. 10,454'</u>	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka <u>10,636'</u>	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand <u>2055'</u>	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs <u>5438'</u>	T. Wingate _____	T. _____
T. Wolfcamp <u>8836'</u>	T. <u>L/Morrow 11,148'</u>	T. Chinle _____	T. _____
T. Penn. <u>10,128'</u>	T. <u>Morrow Clastic -</u>	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. <u>11,410'</u>	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
265	1920	1655	Anhydrite				
1920	2055	135	Lime				
2055	5438	3383	Interbedded Sn & Shale w/ occ Lime				
5438	8836	3398	Lime w/Sand Stringers (1st, 2nd, 3rd BSS)				
8836	10128	1292	Lime & Shale				
10128	10454	326	Lime				
10454	10636	182	Lime w/Shale interbeds				
10636	11148	512	Lime w/Shale interbeds				
11148	TD	855	Sand & Shale w/some lime beds				