

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	1
FILE	1 ✓
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

SEP 11 1975

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name	
Martin Com	
9. Well No.	
2	
10. Field and Pool, or Wildcat	
Wildcat	
12. County	
Eddy	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

O.C.C. ARTESIAL OFFICE

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator	3. Address of Operator	4. Location of Well
	Belco Petroleum Corporation ✓	411 Petroleum Building, Midland, Texas 79701	UNIT LETTER <u>F</u> , <u>2198</u> FEET FROM THE <u>North</u> LINE AND <u>1750</u> FEET FROM THE <u>West</u> LINE, SECTION <u>20</u> TOWNSHIP <u>22-S</u> RANGE <u>33-E 27</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.)			16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
3136.5' GL			NOTICE OF INTENTION TO:
			SUBSEQUENT REPORT OF:
			PERFORM REMEDIAL WORK <input type="checkbox"/>
			TEMPORARILY ABANDON <input type="checkbox"/>
			PULL OR ALTER CASING <input type="checkbox"/>
			OTHER <input type="checkbox"/>
			PLUG AND ABANDON <input type="checkbox"/>
			CHANGE PLANS <input type="checkbox"/>
			OTHER <input type="checkbox"/>
			REMEDIAL WORK <input type="checkbox"/>
			COMMENCE DRILLING OPNS. <input type="checkbox"/>
			CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>
			OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled to TD of 3375'. Ran Acoustic Gamma-Ray and Caliper Logs. Ran 85 jts. of 5-1/2" (3361'), 15.5#, K-55, LT&C casing set at 3361' with 500 sx. HOWCO "Lite" with 5# gilsonite and 8# salt per sx. followed by 200 sx. 50/50 Poz Mix Class "C" with 8# salt per sx. Plug down at 4:15 p.m., 9/6/75. Ran Temperature Survey. Top of cement at 1200'. Plug at 3321'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. T. Holten, Jr. TITLE Operations Engineer DATE 9/9/75

APPROVED BY W. A. Gressitt TITLE SUPERVISOR, DISTRICT II DATE SEP 15 1975

CONDITIONS OF APPROVAL, IF ANY: