

NEW MEXICO OIL CONSERVATION COMMISSION

AUG 5 1976

O. C. C.

ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
7. Unit Agreement Name	
8. Farm or Lease Name	
Forehand	
9. Well No.	
#2	
10. Field and Pool, or Wildcat	
Wildcat	
12. County	
Eddy	

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator	
Husky Oil Company of Delaware	
3. Address of Operator	
600 South Cherry St., Denver, CO 80222	
4. Location of Well	
UNIT LETTER <u>K</u> <u>1980</u> FEET FROM THE <u>West</u> LINE AND <u>1880</u> FEET FROM	
THE <u>South</u> LINE, SECTION <u>15</u> TOWNSHIP <u>23S</u> RANGE <u>27E</u> NMPM.	
15. Elevation (Show whether DF, RT, GR, etc.)	
3127' Ground	

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

Intermediate Casing

7/12/76 Drilled to 1975'. Circulated 1 hr. Ran 48 jts. 8-5/8" K-55 8 rd. STC casing. Set at 1966' K.B. Cemented with 325 sacks of Halliburton Lite, 5# gilsonite, 4# celoflake. Tail in with 300 sacks cement, Class C, w/2% Cacl. Plug down at 10:30 p.m. Circulated to surface.

7/13/76 Nippled up BOP and pressure tested same to 800#. Tested O.K. Drilled cement plug and float from 1925' to 1965'. Washed to bottom. Tested casing to 1000#. Tested O.K.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Drilling Engineer DATE 8/2/76

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: