

COUNTY EDDY
 OPER GULF OIL CORP.
 NO 1 LEASE Shearn "D" Federal Com.
 Sec 15, T23S, R25E
 1980' FSL, 1980' FEL of Sec
 8 mi N/White City

STATE NM
 30-015-22430
 MAP
 COORD

13 3/8" at 375' w/400 sx
 9 5/8" at 2610' w/350 sx
 5 1/2" at 11,350' w/875 sx

WELL NO.	DATE	IN	OUT	DEPTH
1	2-19-78			5-17-78
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				

IP (Strawn) Perfs 9568-70' CACT 3550 PCFGPD: COR 78,888: cor
 (Gas) (NR); (Cond) 54; SIWHP 20500, SIWOP 21000

CONTR McVay #4

F.R. 2-6-78
 (Strawn)
 Drlg 2515'
 2-27-78 Drlg 5420'
 3-6-78 Drlg 9410'
 3-13-78 Drlg 10,240' lm & sh
 3-17-78 TD 11,258'; On Dst 11,228-258'
 3-27-78 DST (Morrow) 10,930-11,040', op 1 hr, rec
 510' DM, 1 hr ISIP 4101#, FP 174-348#, 1 hr
 30 min FSIP 4277#, HP 5684-5684#
 4-3-78 TD 11,350'; WOC
 DST (Morrow) 11,228-258', op 1 hr, GTS 20
 mins, rec 180' GCDF + 120' FW, Pressures (NR)

5-2-7 NM

EDDY
GULF OIL CORP.

Undesignated
1 Shearn "D" Federal Com. NM
Sec 15, T23S, R25E Page #2

4-18-78 TD 11,350'; SI
Perf (Atoka) 10,810-820', 10,852-862' w/40
shots (overall)
4-25-78 TD 11,350'; PBD 10,800'; Eng tbg
Acid (10,810-862') 6000 gals (7½%)
Swbd down w/sli SG (10,810-862')
CIBP @ 10,800'
5-2-78 Perf (Atoka) 10,410-420' w/2 SPF
TD 11,350'; PBD 10,800'; SI
Acid (10,410-420') 6000 gals
Flwd small amt of gas (10,410-420')
5-8-78 TD 11,350'; PBD 10,240'; Swbg
CIBP @ 10,240'
Perf (Strawn) 9568-78' w/2 SPF
6-2-7 NM

5-8-78 Continued
5-15-78 Flwd 100 MCFGPD (9568-78')
TD 11,350'; PBD 10,240'; tstg
Acid (9568-78') 5000 gals (15%)
Flwd @ 1100 MCFGPD + 57 BC + 30 BW in 24 hrs
thru 15/64" chk, TP 1800# (9568-78')
5-22-78 TD 11,350'; PBD 10,240'; WOSP
CAOF 3550 MCFGPD (9568-78')
6-5-78 TD 11,350'; PBD 10,240'; Complete
(Strawn) FIVE POINT GAUGES:
Flwd 170 MCFGPD, 5/64" chk, 60 mins, TP 1855#

6-2-7 NM

EDDY
GULF OIL CORP.

Undesignated
1 Shearn "D" Federal Com. NM
Sec 15, T23S, R25E Page #3

6-5-78 Continued
Flwd 243 MCFGPD, 7/64" chk, 60 mins, TP 1620#
Flwd 372 MCFGPD, 9/64" chk, 60 mins, TP 1850#
Flwd 909 MCFGPD, 15/64" chk, 60 mins, TP 1740#
Flwd 1337 MCFGPD, 19/64" chk, 60 mins, TP 1625#
LOG TOPS: Bone Spring 4920', Third Bone Spring
Sand 7968', Wolfcamp 8350', Pennsylvanian 9424',
Strawn 9760', Atoka 10,234', Morrow 10,950'
LOGS RUN: CNL, DILL, MLAT, DENL, GRL
BHT 168 deg
6-10-78 COMPLETION ISSUED

6-2-7 NM
IC 30-015-70029-78
