

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION
JAN 2 1979

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

O. C. C.
ARTESIA, OFFICE

5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.
7. Unit Agreement Name
8. Farm or Lease Name Ingalls Gas Com
9. Well No. 1
10. Field and Pool, or Wildcat Wildcat Atoka Limestone
12. County Eddy

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO CELEBRATE OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	OTHER-
Name of Operator Amoco Production Company ✓		
Address of Operator P.O. Drawer "A", Levelland, Texas 79336		
Location of Well UNIT LETTER <u>G</u> <u>1650</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>22</u> TOWNSHIP <u>23-S</u> RANGE <u>28-E</u> N.M.P.M.		
15. Elevation (Show whether DF, RT, GR, etc.) 3002.4 GR		

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <u>Change Zones</u> <input checked="" type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Tested Morrow zone and found it was commercially unproductive. Propose to blank off Morrow zone and test. the Atoka limestone (Bell Lake Lime) by setting a cast iron bridge plug at 12,200'. Cap with 35' of cement. Perforate Atoka limestone (Bell Lake Lime) 11,698'-11,710' with 4 DPJSPF and subsequently will consider re-perforating original Atoka Completion Zone 11,395' to 11,400'.

I, hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ray Cox TITLE Admn. Supv. DATE December 28, 1978

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE JAN 3 1979

CONDITIONS OF APPROVAL, IF ANY:

O& 4 NMOCC 1-Susp 1-Houston 1-DE