

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 32636

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Amoco Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREASec. 11, T-23-S, R-²⁸~~38~~-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

1. OIL ☐ GAS ☒ OTHER ☒

2. NAME OF OPERATOR

Delta Drilling Company

3. ADDRESS OF OPERATOR

P. O. Box 3467, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FSL & 990' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

2992.1 GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Casing

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

☐
☐
☐
☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 11,900'. Ran 25 jts 7" liner. Set at 11,900' and hung at 10,786'. Cemented with 25 sacks TLW w/3/4% CFR-2 mixed at 12.1#/gal and 190 sacks Class H w/6/10% Halad 22, 3/10% CFR-2 and 5# KCl, mixed at 14.8#/gal. Plug down at 3:30 a.m. 11/8/79. WOC 60-1/2 hours. Drill cement from 10,559' to 10,786' with 8-1/2" mill. Drill cement from 10,786' to 11,858' with 6-1/8" mill. Test liner to 3000 psi for 30 minutes from 4:00 p.m. to 4:30 p.m. 11/10/79.

RECEIVED

NOV 19 1979

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED Ron Brown R. BrownTITLE Field Project ManagerDATE 11/14/79

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:ACTING DISTRICT ENGINEER
TITLE _____

DATE _____

*See Instructions on Reverse Side