

NEW MEXICO OIL CONSERVATION COMMISSION
 DRAWER DD
 ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Huaco Prod. Co.</u>		Lease <u>State 1H Com.</u>		Well # <u>1</u>	
Location of Well	Unit <u>19803</u> <u>1980C</u>	Section <u>36</u>	Township <u>23</u>	Range <u>24</u>	County <u>Eddy</u>
Drilling Contractor			Type of Equipment <u>Rating to start approx. 3-15-80</u>		

* witness

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
17 1/2"	13 3/8"	48		400	cin.
12 1/4	9 5/8"	36		2600	"
8 3/4"	5 1/2"	17-20 or 23		10850	

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
 (Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 12 1/4 Size of Casing 9 5/8 Sacks cement required _____

Type of Shoe used Texas Patten Float collar used Float Collar Btm 3 jts welded yes

ID of hole 2600 Set 2631 Feet of 9 5/8 Inch 36 # Grade J-55

New-~~red~~ csg. @ 2631 with 200 sacks neat cement around shoe

+ 1800 sax Huaco lite additives + 400 5K Thick set

Plug down @ 4:00 (PM) Date 5-24-80

Cement circulated yes No. of Sacks 400

Cemented by Huaco Witnessed by B.W. Weaver

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: NO Drilling Break Drilling Time 12 ft Per Hr

Used Three Centerizers

How ev

CX#

Cy #1

8⁵/₆

you 159

1100 lte

10 mls

1/4 FU

8 salt

200 c

290