Nulti-Point Surface se and Operations Plan Cities Service Company's Federal "N" No. 1

- Page 2
- 2. Planned Access Road Continued
 - G. Cuts & fills: None needed.
 - H. Gates or cattleguards. None required.
- 3. Location of Existing Wells

RECEIVED

OCT 241990

U.S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO

- A. Existing wells within a two mile radius of our proposed location are shown on the third attached plat.
- 4. Location of Existing and/or Proposed Facilities
 - A. Production facilities for all the existing wells in the area are located on the individual drilling well pads and no additional surface disturbance has occurred.
 - B. Proposed production facilities will be set on the drill pad of the Federal "N" No. 1.

The equipment will consist of two barrel tanks to collect condensate and water which will be trucked to sale or disposal and a production unit (stack pack). All equipment will be fenced with a chain link fence.

All permanent above ground structures and equipment will be painted in accordance with the BLM's painting guidelines, simulating the color of sandstone brown.

The gas purchaser will install necessary gas measurement equipment and gathering system for gas.

- 5. Location and Type of Water Supply
 - A. Both fresh water and brine water will be used to drill this well. Both will be purchased in and near Carlsbad, New Mexico, and will be trucked to the well site over existing and proposed roads.
- 6. Source of Construction Materials
 - A. Caliche for surfacing the road and the well pad will be obtained from a Federal pit located NE/SW Section 33-22S-26E. It is color coded red on the USGS West Carlsbad, New Mexico Quadrangle map.
- 7. Method of Handling Waste Disposal
 - A. Drill cuttings will be disposed of in drilling pits.
 - B. Drilling fluids will be allowed to evaporate in the drilling pits until pits are dry.
 - C. Water produced during tests will be disposed of in the drilling pits. Oil produced during tests will be stored in test tanks until sold.