1			25F 5
1	RECEIVED		FOR OFFICE USE
Ĩ		ET	FE UC SE
	IN OIL CONS. Drawer DD	COMMISSION	
	SEP 21'87 Drawer DD Artesia, HM	88210	5. LEASE DESIGNATION & SERIAL NO.
	~ C D:		NM-25954
(Do	SUNDRY NOTICES AND REPORTS (not use this form reproduced by the drill or to deepen or plug b Use "APPLICATION FOR PERMIT-" for suc	ON WELLS ack to a differentizes arvoir.	
1. OIL WELL		" IELETVED SA	7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME
	Parker & Parsley Petroleum Co.	AUG31 1997	Union Federal
		2 ^{DIST} 6	10. FIELD AND POOL, OR WILDCAT
See also space At surface At proposed p	1980' FNL & 560' FEL of Sec. 33	and New Mozico	Willow Lake Bone Spring 11. SEC., T., R., M., OR BLK, AND SURVEY OR AREA
	· · · ·		Sec.33, T24S, R28E
14. PERMIT NO		F. RT, GR, etc.)	12. COUNTY 13. STATE
	2974.3' GL		Eddy NM
16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
	NOTICE OF INTENTION TO:	SUBSE	EQUENT REPORT OF:
TEST WATE	R SHUT-OFF PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT			ALTERING CASING
SHOOT OR REPAIR WE		SHOOTING OR ACIDIZING	ABANDONMENT*
(Other)	CHANGE PLANS:	(Note: Report result	ts of multiple completion on Well
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of			
starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)			
18. Date of work * Must be accompanied by a cement verification report.			
4-28-87:			
1 00 07	of CIBP. Pulled 1 jt. Circ hole w/64 bbls 10# brine mud.		
4-29-87:)'. Cut $4\frac{1}{2}$ " csg @ 3	950'. Pulled & LD 96 jts
4-30-87:	$4\frac{1}{2}$ " csg. Spotted 30 sx plug from 4000-3900' & displaced w/l0# brine mud. Tagged plug @ 3900'. Witnessed by BLM. Spotted 85 sx plug from 2690 - 2500'. Pulled 10 stds & WOC 3 hrs. Spotted 40 sx plug from 1100 - 1000'. Spotted 40 sx plug from 530 - 430'. WOC $2\frac{1}{2}$ hrs. Spotted 10 sx plug @ surface.		
	ALL CMT USED WAS CLASS "C" W/2% CaCl W/density of 14.8 ppg.		
5-6-87: Dug out cellar. Cut off 13-3/8" X 8-5/8" & installed dry hole marker. Cover cellar & cleaned location.			dry hole marker. Covered
		ACCEF	TED FOR RECORD
2		:	SEP 1 4 1987 9-25-87
¥нын	a se construir a se construir de la construir d		SIS 1×A
19. I hereby certify that the foregoing is true and correct CARLSBAD, NEW MEXICO			
PRINTJ. Michael Reeves			
Mi I Maura			
(This space for Federal or State office use)			
APPROVED BY TITLE DATE DATE			