N.M.U.U.D.

UNITE > STATES UNITE STATES SUBMIT IN TRIPLIC (Other Instructions of THE INTERIOR verse side)

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS


6. IF INDIAN, ALLOSTEE OR TRIBE NAME

	(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPI ICATION FOR PERMIT—" for such proposals.)	
1	OIL GAS OTHER	7. UNIT AGREEMENT NAME
2.	NAME OF OPERATOR	S. FARM OR LEASE NAME
3.	DINERO OPERATING COMPANY /	DEWEY 9. WELL NO.
	P. O. Drawer 10505 Midland, Texas 79702	1 489-14 00945
4.	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT
	660' FNL 7 560' FWL, Section 24, T-24-S, R-28-E	(Bone Springs) Wildcat 1). BEC, T, E, M, OR BLE, AND BURYLY OR AREA
	Eddy County, New Mexico	Sec. 24, T-24-S, R-28-E
14.	PERMIT No. 15. ELEVATIONS (Show whether DF, RT, OR, etc.)	12. COUNTY OR PARISH 13. STATE
	2971' G.L.	Fddy New Mexico
6.	Check Appropriate Box To Indicate Nature of Notice, Report, or	<u>-</u>
	NOTICE OF INTENTION TO 1	

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT ALTERING CASING ABANDON* SHOOT OR ACIDIZE SHOOTING OR ACIDIZING ARANDON MENT® (Other)Cement Conductor
(Norn: Report results of multiple completion on Well Completion or Recompletion Report and Log Iorm.) REPAIR WELL CHANGE PLANS (Other)

- 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
 - Rig down Cable Tool Rig, Rig up Rotary Rig and spud with big rig 6/6/81. Drilled 17 1/2" hole to 414'. POOH.
 - Ran 10 joints of 48#-K 13 3/8 LT&C casing with Texas Pattern Guide Shoe with baffle for plug. Set at 414'.
 - Cement casing with 400 sacks of CL C cement with 2% CACL, circ. 25 sacks to surface, plug down at 5:30 P.M. 6/7/81 MST. WOC 20 hours. Cut off and nipple up. Install BOP
 - Test BOP and casing to 1,000#, O.K.
 - Drill out with 11" bit.



ROSWELL, NEW MEXICO

I hereby certify that the faregoing is true and correct							
		riodde cron Cicin					
(This space for Fed	FFRT SCEPTED FOR RECORD						
	ROGER A. CHAPMALI	TITLE	DATE				
	JUN-2/4 1981						
	#\$# U.S. GEOLOGICAL SURVE	Instructions on Reverse Side					
	ROSWELL, NEW MEXICO						

	N.M.O.	CD. Coli				
Form 9-331 (May 1963)	U JED STATES DEPARTMENT OF THE INTE GEOLOGICAL SURVEY	SUBMIT IN TRIE (Other Instructions on verse side)				
	ODRY NOTICES AND REPORTS s form for proposals to drill or to deepen or pl Use "APPLICATION FOR PERMIT"—" for su		6. IF INDIAN, ALLOTTER OR TRIBE NAME			
OH, WELL X GAS WELL	OTHER	JUN 0.8 1981	7. UNIT AGREEMENT NAME			
DINERO C 3. ADDRESS OF OPERATOR	PERATING COMPANY /	000	S. FARM OR LEISE NAME DEWEY 9. WELL NO.			
	AWER 10505, MIDLAND, TEXAS Report location clearly and in accordance with town)		1 10. FIREB AND FOOL, OR WILDUAT (Bone Springs) Wildcat			
660' FNI	. & 560' FWL, Section 24, T-2 inty, New Mexico	24-S, R-28-E,	11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA			
14. PERMIT NO.	15. ELEVATIONS (Show whether 25	er ыр, кк. (gr. etc.) 971 ° G.L.	Sec. 24, T-24-S, R-28-E 12. COUNTY OF PARISH 13. STATE Eddy New Mexico			
16.	Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data					
	SOTICE OF INTENTION TO:	EQUENT REPORT OF:				
TEST WATER SHUT- FRACTURE TREAT SHOOT OR ACHILE REPAIR WELL (Other)	OFF PULL OF ALTER CASING MULTIPLE COMPLETE ABANEON* CHANGE PLANS	WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING (Other) Move in (Note: Report resu Completen or Recor	REPAIRING WELL ALTERING CASING ARANDONMENT* E Spud Its of multiple completion on Well inpletion Report and Log form.)			
proposed work, nent to this work,	DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed wors. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 5/28/81 Moved in Cable Tool and rig up.					
	ed to 30' and rface.					
6/2/81						
	ACCEPTED FOR RECORD ROGER A. CHAPMAN JUN 41981 U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO		JUN 0 4 1981			
SIGNED (1997)	; ,	Production Clerk	DATE June 3, 1981			
(3 DIE Space IOF Fe	deral or State office as)					

APPROVED BY TITLD DATE CONDITIONS OF APPROVAL, IF ANY:

Instructions

General: This form is do igned for submitting proposals to perform vertain well operations, and reports of such operations who no employed, as indicated, on Februari Indian lands pursue at to applicable Februari Indian and regularions, and, if reproved or no epited by any state on all levels in such State, personal to State law and regularions. Any necessary special instructions concerning the use of this form and the region of regional procedures and practice, either are shown below or will be issued by, or reay be obtained from, the beat Telebert and for state often.

State or hederal office for specific instructions. Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local

Herr 13t Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Foderal and or State offices, build be been proports should include reasons for the abandonment; data on any former or present productive zones, or other same with present similicant fluid contents not seried off by excent or otherwise; depths (top and bottom) and method of placement of cement place; mud or other material placed below, between and above places amount, size, method of parting of any easing, liner or tabing pulled and the depth to top of any left in the hole; method of closing top of well, and date well site conditioned for final inspection looking to approval of the abandonment.

147 - 485