

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P.O. BOX 2083
SANTA FE, NEW MEXICO 87501

Form C-116
Revised 12-1-73

GAS-OIL RATIO TESTS

Operator Reading ~~Reading~~ ~~Reading~~ Petroleum Co.

Pool Culebra Bluff Bone Spring, South

County Eddy, New Mexico

2412 N. Grandview, Suite 201, Odessa, Texas 79761

TYPE OF TEST - (X) TEST - (X) Scheduled (X)

Completion ()

Specimen ()

LEASE NAME	WELL NO.	LOCATION			DATE OF TEST	TYPE OF TEST	CHOKE SIZE	TBG. PRESS.	DAILY ALLOW-ABLE	LENGTH OF TEST HOURS	PROD. DURING TEST				GAS - RA - C.U.F.T
		U	S	T							WATER BOLS.	CRUD. OIL	OIL BOLS.	GAS M.C.F.	
Amoco Federal	3	H	11	23S	28E	7-9-85	P -	-	4	24	5	43	4	65	16,2
Antley Comm	1	N	23	23S	28E	7-10-85	P -	-	1	24	12	41	1	16	16,0
Onsuez	1	C	11	23S	28E	7-11-85	P -	-	1	24	2	42	2	99	49,5
South Culebra Bluff	3	G	23	23S	28E	7-12-85	P -	-	22	24	7	42	15	28	1,8
South Culebra Bluff	4	A	23	23S	28E	7-15-85	F	14/64	30	24	0	41	16	79	4,5
South Culebra Bluff	6	E	24	23S	28E	7-16-85	P -	-	6	24	4	43	8	97	12,1
South Culebra Bluff	7	B	15	23S	28E	7-17-85	F	15/64	35	24	0	41	7	38	5,4

RECEIVED BY
4/11/85
C. O. D.
AGRIANA OIL CO.

I hereby certify that the above info is true and complete to the best of my knowledge and belief.

[Signature]
(Signature)

Area Superintendent

(Title)

7-24-85

(Date)

No well will be assigned an allowable greater than the amount of oil produced on the official test.
During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowable when authorized by the Division.
Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base will be 0.65.
Report casing pressure in lieu of tubing pressure for any well producing through casing.
Well log and one copy of this report to the district office of the New Mexico Oil Conservation Division in accordance with Rule 201 and appropriate pool rules.