



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
ARTESIA DISTRICT OFFICE

BRUCE KING
GOVERNOR
LARRY KEHOE
SECRETARY

November 20, 1981

P.O. DRAWER 00
ARTESIA, NEW MEXICO 88210
(505) 746-4861

Coquina Oil Corporation
P.O. Drawer 2960
Midland, Texas 79702

Re: Swearingen
#1-J-4-23-28
Eddy County, New Mexico

Gentlemen:

We hereby acknowledge receipt of the completion reports on the subject well.

However, the tubing is shown on Form C-122 at 9586' and according to Division Rule 107D the tubing shall not be more than 250' above the top of the pay.

Therefore, prior to producing the well you must get an exception to said Rule 107D from the Division Director.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

W.A. Gressett
Supervisor, District II

WAG:mm

*12-15-81 4:15 PM,
as per D.S.N. TX 81 will
be approved this day*

COUNTY **EDDY** FIELD **Undesignated** STATE **NM**
 OPR **COQUINA OIL CORP.** API **30-015-23816**
 NO **1** LEASE **Swearingen** MAP
Sec 4, T23S, R28E CO-ORD
1650 FSL, 1980 FEL of Sec **12-1-22 NM**
3 mi N/Loving SPD **7-5-81** CMP **11-9-81**

CSG 20-358-730 sx 13 3/8-2503-2100 sx 9 5/8-10,003-3250 sx 7 5/8-1nr-9591-11,977-500 sx 5-1nr-11,705-12,748-175 sx 2 7/8-9586	WELL CLASS: INIT D FIN DG LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
	TD	12,750 (MRRW)	PBD	12,705

IP (Atoka) Perfs 11,398-536 CAOF 23,060 MCFGPD. GOR Dry; gty
 (Gas) .5713; SIWHP 6303; SIBHP 7652

CONTR **Sharp #63** OPRSELEV **3104 GL** sub-s **21**

F.R. 6-8-81
 PD 12,900 RT (Atoka)
 12-5-81 AMEND FIELD & ZONE: Formerly reported as Loving,
 N. (Morrow)
 7-8-81 TD 350; Rng Csg
 7-14-81 Drlg 2129
 7-21-81 Drlg 3651
 7-29-81 Drlg 6164
 8-5-81 Drlg 7846
 8-11-81 Drlg 9352
 8-19-81 TD 10,000; Rng 9 5/8 csg
 8-26-81 Drlg 10,669
 9-3-81 Drlg 11,561
 9-9-81 Drlg 11,690
 DST (Atoka) 11,355-585, op 12 mins, GTS in 7
 mins @ 30,000 MCFPD thru 1 chk @ 1300#, DP rec
 (NR), 2 hr ISIP 7642, IFP 4634-5207, no FFP or
 FSIP taken, HP 7678-7733, BHT 180 deg
 12-1-22 NM

EDDY
COQUINA OIL CORP.

Undesignated
1 Swearingen
Sec 4, T23S, R28E

NM
Page 2

9-16-81 Drlg 11,943
9-21-81 TD 11,980; WOC
9-29-81 Drlg 12,388
10-6-81 TD 12,750; WOCU
10-20-81 TD 12,750; WOCU
11-4-81 TD 12,750; PBD 12,705; Tstg
Perf (Atoka) 11,398-398½ w/2 shots, 11,433-
457 w/29 shots, 11,493-506 w/27 shots, 11,528-
536 w/17 shots (overall)
Natural
Flwd 2700 MCFGPD in 24 hrs thru 10/64 chk
(11,398-536)
11-12-81 TD 12,750; PBD 12,705; WO 4 Pts
12-1-22 NM

11-17-81 TD 12,750; PBD 12,705; WOSP
CAOF 23,060 MCFGPD (11,398-536)
11-30-81 TD 12,750; PBD 12,705; Complete
(Atoka) FOUR POINT GAUGES:
Flwd 1384 MCFGPD, chk NR, 60 mins, TP 6099
Flwd 2494 MCFGPD, chk NR, 60 mins, TP 5972
Flwd 3458 MCFGPD, chk NR, 60 mins, TP 5925
Flwd 4479 MCFGPD, chk NR, 60 mins, TP 5785
LOG TOPS: Base Salt 1910, Delaware Sand
2550, Bone Spring 6073, First Bone Spring
Sand 7060, Second Bone Spring Sand 7740,
Third Bone Spring Sand 9050, Strawn 11,155,
Atoka 11,378, Morrow 12,151
LOGS RUN: DILL, MTCL, SONL, FOCL, CNL FDC,
GRNL, SPCT, PDC
BHT 198 deg @ 11,467 12-1-22 NM
12-5-81 COMPLETION ISSUED IC 30-015-70262-81