

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

RECEIVED

DEC 8 1981

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

O. C. D.
ARTESIA, OFFICE

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.O.S.	2
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State ☐	Fee ☒
5. State Oil & Gas Lease No.	

TYPE OF WELL BohmOIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

TYPE OF COMPLETION

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

Name of Operator

DINERO OPERATING COMPANY

Address of Operator

POST OFFICE DRAWER 10505, MIDLAND, TEXAS 79702

Location of Well

7. Unit Agreement Name

8. Farm or Lease Name

MC NUTT

9. Well No.

I

10. Field and Pool, or Wildcat

Wildcat (Bone Spring)

12. County

Eddy

BY LETTER L LOCATED 630 FEET FROM THE West LINE AND 1980 FEET FROMSouth LINE OF SEC. 12 TWP. 24-S RGE. 28-E NMPMDate Spudded 6/29/81 15. Date T.D. Reached 7/29/81 17. Date Compl. (Ready to Prod.) Oct. 6, 1981 18. Elevations (DF, RKB, RT, GR, etc.) 2977.6 GL 19. Elev. Casinghead G.L.Total Depth 7150 21. Plug Back T.D. 7110 22. If Multiple Compl., How Many 1 23. Intervals Drilled By Rotary Tools Comp. by Spud. by

Producing Interval(s), of this completion - Top, Bottom, Name

6418-65806698-7060Bone Spring

25. Was Directional Survey Made

No

Type Electric and Other Logs Run

Formation Density-Dual LaterLog

27. Was Well Cored

No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	54#	400'	17 1/2	400 sx. 2% CC	None
8 5/8	24#	2500	11	1500 sx. 1300 Lite-200 Neat	None
4 1/2	10.5	7151	7 7/8	1400 sx. 1000 Lite-400 Neat	None

LINER RECORD

30.

TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
						6750	None

Perforation Record (Interval, size and number)

6418-6425, 6430-36, 6440-46, 6452-62, 6476-85, 6551-54, 6560-66, 6572-80, 6698-6704, 6720-25, 6750-56, 6776-86, 6790-96, 6819-27, 6841-47, 6824-54, 6909-13, 6922-30, 7015-20, 7034-40, 7054-60

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6418-6485	Acid 3000 Frac. 49000 Gal.
6551-7060	Acid 4000 Frac. 60000 Gal.

PRODUCTION

First Production Sept. 20, 1981 Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping Well Status (Producing, Shut-in, etc.) Prod.Date of Test Nov. 1, 1981 Hours Tested 24 Choke Size 20# Prod'n. For Test Period 40 Oil - Bbl. 40 Gas - MCF 250 Water - Bbl. 50 Gas - Oil Ratio 6.25Flow Tubing Press. 20# Casing Pressure 20# Calculated 24-Hour Rate 40 Oil - Bbl. 40 Gas - MCF 250 Water - Bbl. 50 Oil Gravity - API (Corr.) 30

Disposition of Gas (Sold, used for fuel, vented, etc.)

Vented

Test Witnessed By

L. C. McClure

List of Attachments

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

Lavada Name

TITLE

Production Clerk

DATE

Nov. 20, 1981

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 30 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and resistivity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 39 through 44 shall be reported for each zone. This form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1165.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>2600</u>	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Mass _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menafee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilte _____	T. _____
T. Drinkard _____	T. Delaware Sand <u>2600 (1)</u>	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs <u>6300 (4)</u>	T. Wingate _____	T. _____
T. Wolfcamp _____	T. <u>Lamar Lime</u>	T. Chinle _____	T. _____
T. Penn. _____	T. <u>Cherry Canyon (2)</u>	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. <u>Brushy Canyon (3)</u>	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from <u>2600</u> to <u>2850</u>	No. 4, from <u>6300</u> to <u>9200</u>
No. 2, from <u>3800</u> to <u>4875</u>	No. 5, from _____ to _____
No. 3, from <u>4800</u> to <u>5900</u>	No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from <u>250'</u> to <u>unknown</u> feet
No. 2, from _____ to _____ feet
No. 3, from _____ to _____ feet
No. 4, from _____ to _____ feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1100		Redbed				
1100	2430		Salt & Anhy.				
2430			Delaware				
2430	2465		Lamar Lime				
2465			Bell Canyon				
3498			Cherry Canyon				
5560			Brushy Canyon				
6270	T.D.		Bone Spring				

RECEIVED

DEC 17 1981

O. C. D.
ARTESIA, OFFICE

J D J



DRILLING CO.

206 NORTH MAIN
MIDLAND, TEXAS 79701

915/683-6171

RECEIVED

DEC 21 1981

O. C. D.
ARTESIA, OFFICE

DEVIATION REPORT McNUTT #1

<u>DATE</u>	<u>DEPTH</u>	<u>DEGREES</u>
7-05-81	400'	3/4°
7-06-81	831'	3/4°
7-07-81	953'	3/4°
7-07-81	1480'	1°
7-08-81	1937'	1 1/4°
7-12-81	2656'	4°
7-12-81	2808'	2°
7-13-81	3100'	3 3/4°
7-14-81	3309'	2 3/4°
7-14-81	3466'	3 3/4°
7-15-81	3747'	3°
7-16-81	4180'	3°
7-17-81	4667'	3°
7-19-81	5166'	2 1/2°
7-21-81	5630'	3 1/2°
7-23-81	5860'	3 1/2°
7-29-81	7150'	4 1/2°

Dinero Operating Company-McNutt No. 1, Sec. 12, T-24-S, R-28-E, Eddy
County, New Mexico.

STATE OF TEXAS
COUNTY OF MIDLAND

I, the undersigned, declare that I am authorized to make this report, and
that the data and facts stated therein are true, correct, and complete, to
the best of my knowledge.

Lavonda Norman
Lavonda Norman
Production Department

SWORN AND SUBSCRIBED TO BEFORE ME this 18th day of December
1981.

Notary Public in and for Midland
County, Texas

My Commission Expires: