## STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

	T	
DISTRIBUTION	1	
SANTA FE	II	
FILE		/
V.1.0.1.		
LAND OFFICE		
OPERATOR	1	i

## OIL CONSERVATION DIVISION

		Form C-103
BISTANGUION	O, BOX 2088	Revised 10-1-78
SANTA FE.	NEW MEXICO 87501	
THE		5a. Indicate Type of Lease
U.8.0.9.		State X For
LAND OFFICE		5. State Oil 6 Gas Lease No.
OPERATOR	•	V-2060-1
		THITTINITE TO THE
SUNDRY NOTICES AND REPORT	TS ON WELLS	
(DO NOT USE THIS FORM FOR PROPOSALS TO PRILL OR TO GEFFER CONTRACTOR FOR PERMIT -" (FORM C-101)	FOR SUCH PROPOSALS.)	
		7, Unit Agreement Name
A. (TT) 645 (T)	RECEIVED BY	
W111 C		8. Farm or Lease Name
2, Nume of Operator	*1111 90'	State
Ranger Petroleum Corporation 🔻	JUL 28 1987	9. Well No.
3, Address of Operator		9, 401 101
116 West First, Roswell, New Mexico 88201	O. C. D.	1
4. Location of Well	VOLERIA OLDICE .	10, Field and Pool, or Wildean
4. Location of well	orth LINE AND 1980 FEET FAO	WC - 1 3, .
UNIT LETTER C 660 FEET FROM THE NO	orth Line and 1980 FEET FRO	THITTINITH "
THE West LINE, SECTION 32 TOWNSHIP	24-S RANGE 28-E NMPH	
		<del>- 11111111111111111111111111111111111</del>
15. Elevation (Show	whether DF, RT, GR, etc.)	12. County
3010.5' GL:	3027.5' KB	Eddy ())
		ahaa Dasa
16. Check Appropriate Box To Indi-	cate Nature of Notice, Report or O	ther Data
NOTICE OF INTENTION TO:	SUBSEQUEN	T REPORT OF:
PLUG AND ABAND	ON THE REMEDIAL WORK	ALTERING CASING
PERFORM REMEDIAL WORK	COMMENCE DRILLING OPNS.	PLUG AND ABANDONNENT
TEMPORARILY ASANDON		
PULL OR ALTER CASING CHANGE PLANS	CASING TEST AND CEMENT JQB	
	OTHER	
AV., F.		
VIRA		and date of storting any proposed
17. Describe Proposed or Completed Operations (Clearly state all perti	inent details, and give pertinent dates, includi	of extinutes age of starting on biobosen
work) SEE RULE 1103.		•
On or about 7/29/87, the foll	owing is proposed:	
		_
1 Circulate hole with 9.5-1	0.0 ppg mud. mixing sal	t gel @ 25sx/100 bbls.

- Circulate hole with 9.5-10.0 ppg mud, mixing salt ger @ 25sx/100 Plug No. 1: depending on hole conditions, either set CIBP topped with 35' cement or pump 25 sx C1 "C" and tag.
  Plug No. 2: 25 sx C1 "C" cmt pumped @ 500' (Est 375' plug).
  Plug No. 3: 10 sx C1 "C" at surface using tbg.
- 3.
- Mud between all plugs.

- Weld cap on 8-5/8" csg stub.
- Install 4-1/2" marker "ID", extending 4 ft. above GL. 6.
- Clean up location. 7.

•	0	
		·
18.1 hereby ceptify that the information above is true and comp	plete to the best of my knowledge and belief.	
BIGHED (Asil 7) 11	Edsel Neff, Geologist	7/27/87
APPROVED DY Make Welliams	OIL AND GAS INSPECTOR	
CONDITIONS OF APPROVAL, IF ANYI		,