

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

30-015-23907

Form C-101
Revised 10-1-78

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	2
LAND OFFICE	
OPERATOR	1

RECEIVED

AUG 31 1981

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

a. Type of Work

b. Type of Well

DRILL ☒

DEEPEN ☐

PLUG BACK ☐

OIL WELL ☒

GAS WELL ☐

OTHER

SINGLE ZONE ☐

MULTIPLE ZONE ☐

c. Name of Operator

DINERO OPERATING COMPANY

d. Address of Operator

P. O. Drawer 10505, Midland, Texas 79702

e. Location of Well

UNIT LETTER N

LOCATED 1980

FEET FROM THE West

LINE

660

FEET FROM THE South

LINE OF SEC. 25

TWP. 23-S

RGE.

28-E

NEED

12. County

Eddy

19. Proposed Depth

8,000'

19A. Formation

Bone Springs

20. Rotary or C.T.

Rotary

21. Elevations (Show whether D.P., K.T., etc.)

2993.1 G.L.

21A. Kind & Status Plug. Bond

Blanket Bond on file

21B. Drilling Contractor

J.D.J. Drilling Co.

22. Approx. Date Work will start

When rig available

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
17 1/2"	13 3/8"	54#	400'	425 sx.	Circ.
11"	8 5/8"	24-32	2600'	1500 sx.	Circ.
7 7/8"	4 1/2"	10.5-11.60#	7200'	1400 sx.	2600'

Gas is not dedicated

BOP attached

APPROVAL VALID FOR 180 DAYS
PERMIT EXPIRES 3-3-82
UNLESS DRILLING UNDERWAY

ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRO-
DUCE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

and Lamanda Norman Title Production Clerk Date August 27, 1981

(This space for State Use)

PROVED BY

W.A. Gressett

TITLE

SUPERVISOR, DISTRICT II

DATE

SEP 3 1981

ADDITIONS OF APPROVAL, IF ANY:

N MEXICO OIL CONSERVATION COMMISS
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
 Supersedes C-128
 Effective 1-1-65

All distances must be from the outer boundaries of the Section.

Operator DINERO OPERATING CO.			Lease WILLIAMS		Well No. 1
Unit Letter N	Section 25	Township 23 SOUTH	Range 28 EAST	County EDDY	


Actual Footage Location of Well: 1980 feet from the WEST line and 660 feet from the SOUTH line					
Ground Level Elev. 2993.1	Producing Formation Bone Springs	Pool Und. S. Culebra Bluff - Bone Springs	Dedicated Acreage: 80 Acres		

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.




CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Name *L. C. McClure*
 Position Field Supt.
 Company Dinero Operating Company
 Date August 27, 1981

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 8-20-81
 Registered Professional Engineer and/or Land Surveyor *John W. West*
 Certificate No. JOHN W. WEST 676
PATRICK A. ROMERO 6863
Ronald J. Eidson 3239



NOTE:

MANUAL AND HYDRAULIC CONTROLS WITH
CLOSING UNIT NO LESS THAN 75' FROM
WELL HEAD. REMOTE CONTROLS ON RIG
FLOOR.

(1) 10"-3,000#

(2) 10"-3,000#

(3) 10"-3,000#

(4)&(5) Values 3,000#