Form 9-331 Dec. 1973 UNITED STATES Autogia. NM 8821	Budget Bureau No. 42–R1424
UNITED STATES Artosia, NM 8924 DEPARTMENT OF THE INTERIOR	V 5. LEASE NM 29202 RECEIVED
CISE GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME DEC 3 1 198
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME D. C. D.
1. oil gas well other	Baldridge Federal ARTESIA, OFFICE 9. WELL NO.
2. NAME OF OPERATOR	1
W.A. Moncrief, Jr.	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Undesignated Baldridge Canyon Morrow
 400 Metro Bldg., Midland, Texas 79701 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4. LOCATION OF WELL (REPORT LOCATION CLEARLY, see space 17 below.) 1490' FEL & 2050' FSL	Sec. 14, T24S, R24E
AT SURFACE: 1490 FEL & 2000 FSL AT TOP PROD. INTERVAL: Section 14, T24S, R24E	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Section 14, 1240, March AT TOTAL DEPTH: Eddy County, New Mexico	Eddy New Mexico
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	14. API NO.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	4534.1 Gd. 4553.1 KB
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: *	
	10777 5 77
SHOOT OR ACIDIZE	
PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zone
	1301
ABANDON*	SAS
(other)casing test & cement job X U.S. OCOLOGIC ROSWELL, NEW	TAL SHOWEN
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*	
 (1.) Well was spudded 12-12-81 (2.) 348' of 13-3/8" 40# H-40 ST&C casing was set at 368' and cemented w/400 sax Class "C" w/2% CaCl on 12-12-81. Cement circulated 85 sax. USGS witnessed. WOC 18 hrs. Tested casing to 1000# for 20 minutes. Held OK. 	
(3.) 2950' of 32# J-55 ST&C range 3 8-5/8" casing was set at 2968' on 12-22-81.	
Cemented w/200 sax Thick Set + 450 sax lite w/10# gilsonite per sack + 650 sax	
lite w/5# gilsonite per sack + 200 sax Class "C" (total 1500 sax). Cement circulated 260 sax. WOC 18 hrs. Tested casing and BOP to 1600# for 15 minutes. Held OK.	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED <u>Alwey E. Tharmton</u> TITLE Exploration Ma	anagerate 12-23-81
(This space for Federal or State office use)	
APPROVED BROGER A. CHAPMAN TITLE	DATE
DEC 2 8 1981	
U.S. GEOLOGICAL SURVEY *See Instructions on Reverse Si POSWELL, NEW MEXICO	ide

,

2

•