

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-24206
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Ogden
8. Well No. 1
9. Pool name or Wildcat North Loving Morrow
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3083.0' GL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	
2. Name of Operator Read & Stevens, Inc. ✓	FEB - 2 1994
3. Address of Operator P. O. Box 1518 Roswell, NM 88202	
4. Well Location Unit Letter G : 1980 Feet From The North Line and 1830' Feet From The East Line Section 29 Township 23S Range 28E NMPM Eddy County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3083.0' GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Read & Stevens, Inc. recommends plug and abandonment of the subject well by setting a CIBP @ 11,800' and capping with 50' of cmt. A 25 1/2" x 9603' 190' cmt plug will be set across the top of the third Bone Spring sand @ 8,900'. The 7 5/8" csg will be shot and pulled from approximately 5,000', and a 150' cmt plug will be set in and out of the 7 5/8" stub. A 130' cmt plug will be set at the base of the 10 3/4" csg @ 2,490'. A 100' cmt plug will be set @ 1,000'. A 100' cmt plug will be set at the base of the 16" surface csg @ 405'. A 50' cmt plug will be placed at surface, a dry hole marker installed, and the location reclaimed. All fluid used to plug the well will be mud laden and plugs will be set via tbq with the exception of the CIBP which will be set on wireline.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE John C. Maxey, Jr. TITLE Petroleum Engineer DATE 1-31-94
TYPE OR PRINT NAME John C. Maxey, Jr. TELEPHONE NO. 505/622-3770

(This space for State Use)

APPROVED BY Mrs. S. Stillefield TITLE Field Rep. I DATE Feb. 16. 94
CONDITIONS OF APPROVAL, IF ANY: