

RECEIVED BY

DEC 07 1984

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.6.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL:

OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESRV. ☐ Other ☐

2. NAME OF OPERATOR

MYCO Industries, Inc.

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 2310 FNL & 990 FEL, Sec. 10-T22S-R28E

At top prod. interval reported below

At total depth

5. LEASE DESIGNATION AND SERIAL NO.
LC 060613

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Hole in the Ground Federal

9. WELL NO.
2

10. FIELD AND POOL, OR WILDCAT
Undes. Delaware

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Unit H, Sec. 10-T22S-R28E

14. PERMIT NO. DATE ISSUED

12. COUNTY OR PARISH
Eddy
13. STATE
NM

15. DATE SPUDDED 10-12-84 16. DATE T.D. REACHED 10-23-84 17. DATE COMPL. (Ready to prod.) 11-17-84 18. ELEVATIONS (OF RSB, RT, GR, ETC.)* 3136' GR 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD 6135' 21. PLUG, BACK T.D., MD & TVD 4020' 22. IF MULTIPLE COMPL., HOW MANY* 23. INTERVALS FILLED BY 0-6135' ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 3631-3862' Delaware 25. WAS DIRECTIONAL SURVEY MADE No

26. TYPE ELECTRIC AND OTHER LOGS RUN CNL/FDC; DLL 27. WAS WELL CORED No

28. CASING RECORD (Report all strings set in well)						AMOUNT PULLED
CASING SIZE	WEIGHT, LB/FT	DEPTH SET (MD)	HOLE SIZE	COMPLETION RECORD		
8-5/8"	24#	371'	12-1/4"	200 SX		
5-1/2"	15.5#	6129'	7-7/8"	750 SX		

29. LINER RECORD				30. TUBING RECORD			
SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	3357'	=

31. PERFORATION RECORD (Interval, size and number)		32. ACID, SECT. FRACTURE, CEMENT SQUEEZE, ETC.	
3631-3862' w/36 .42" Holes		DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
		3631-3862'	10/7500 g. 7% acid + 43 ball sealers. SF w/100000g. 70 Quality Foam, 12000g. methanol, 18000g KCL, 1458000 SCF N ₂ , 96660# 20/40 & 40000# 10/20 sand.

33.* PRODUCTION				WELL STATUS (Producing or shut-in)	
DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)			Production	
11-17-84	Pumping				

DATE OF TEST	HOURS TESTED	CHOKED SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF	WATER—BBL.	GAS-OIL RATIO
12-1-84	24	Open	→	95	70	190	737/1
FLOW TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→	95	70	190	42°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Vented TEST WITNESSED BY Frank Yates, Jr.

35. LIST OF ATTACHMENTS

Deviation Survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Production Supervisor

DATE

12-3-84

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.


Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Delaware Cherry Canyon Bone Springs	2626 3634 6070	



L. & M DRILLING, INC. -- Oil Well Drilling Contractors

P. O. BOX 872 / ARTESIA, NEW MEXICO 88210
470

October 31, 1984

MYCO Industries, Inc.
207 South Fourth Street
Artesia, NM 88210

Re: Hole-in-the-Ground Federal #2
2310' FNL & 990' FEL
Sec. 10, T22S, R28E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above
captioned well.

DEPTH	DEVIATION
372'	3/4"
859'	1 1/4"
1355'	2"
2129'	5 1/2"
2536'	3 1/2"
3001'	1 3/4"
3502'	1"
4004'	1"
4503'	1/2"
5004'	1/2"
5504'	1/2"
5968'	1/2"
6135'	1"

Very truly yours,

B. N. Muncy Jr.
President

BNM/rig

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 31st day
of October, 1984.

NOTARY PUBLIC