

RECEIVED BY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

3. LEASE DESIGNATION AND SERIAL NO.

LC 060613

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Big Eddy Unit

5. FARM OR LEASE NAME

Big Eddy Unit

9. WELL NO.

107

10. FIELD AND POOL, OR WILDCAT

East Indian Draw Delaware

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Unit B, Sec. 10-T22S-R28E

12. COUNTY OR
PARISH
Eddy13. STATE
NM

1a. TYPE OF WELL:

OIL

WELL

☒

GAS

WELL

☐

DRY

☐

Other

b. TYPE OF COMPLETION:

NEW

WELL

☒

WORK

OVER

☐

DEEP-

EN

☐

PLUG

BACK

☐

DIFF.

RESVR.

☐

Other

2. NAME OF OPERATOR

MYCO Industries, Inc.

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 990 FNL & 1500 FEL, Sec. 10-T22S-R28E

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

1-26-85

16. DATE T.D. REACHED

2-11-85

17. DATE COMPL. (Ready to prod.)

4-18-85

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3130' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

6110'

21. PLUG, BACK T.D., MD & TVD

5921'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

0-6110'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3655-3864½; 5879-5903' Delaware

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL/FDC; DLL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	347'	12-1/4"	200 SX	
5-1/2"	15.5#	6110'	7-7/8"	900 SX	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	3625'	

31. PERFORATION RECORD (Interval, size and number)

3655-3864½' w/51 .42" holes

5879-5903' w/18 .42" holes

(Squeezed perfs 5940½-70')

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3655-3864½' w/5000g. acid. SF w/100000 g KCL,	
200000# 20/40 sd.	
5879-5903' w/1500g. acid. SF perfs 5879-5970 w/	
80000 g. KCL, 123000# 20/40 sd.	

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
3-15-85		Pumping				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
4-18-85	24	Open	→	ACCEPTED FOR RECORD		350	1385
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
25#	25#	→	65	90 (test)	350	42°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented - Negotiating for gas contract

APR 29 1985

TEST WITNESSED BY

Frank Yates, Jr.

35. LIST OF ATTACHMENTS

Deviation Survey

CARLSBAD, NEW MEXICO

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Production Supervisor

DATE

4-25-85

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 33.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROSITY ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				Delaware	2611	
				Cherry Canyon	3646	
				Bone Springs	6038	

ARTESIA FISHING TOOL COMPANY

470

ARTESIA, NEW MEXICO 88210

February 20, 1935

MYCC Industries, Inc.
207 South Fourth Street
Artesia, N.M. 88210

Re: Big Sady Unit #107
990' FSL & 1500' FEL
Sec 10, T22S, R28E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
347'	1/2"
500'	1 3/4"
795'	1"
1015'	3/4"
1198'	2 1/4"
1421'	1 1/2"
1605'	2 1/2"
1884'	2 3/4"
2102'	3"
2411'	3"
2660'	3/4"
3174'	3/4"
3657'	3/4"
4223'	1 1/2"
4682'	2"
5182'	1 3/4"
5711'	1 3/4"
6110'	1 3/4"

Very truly yours,

C. E. LaRue

C. E. LaRue
President

STATE OF NEW MEXICO
COUNTY OF EDDY

The foregoing was acknowledged before me
this 20th day of February, 1935.

Regina L. Carner

