

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Drawer DD
Artesia, NM 88210

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
2. NAME OF OPERATOR
Pogo Producing Company
3. ADDRESS OF OPERATOR
P.O. Box 10340 Midland, Texas
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FNL & 2180' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: 1980' FNL & 2180' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF ☐ ☐
FRACTURE TREAT ☐ ☐
SHOOT OR ACIDIZE ☐ ☐
REPAIR WELL ☐ ☐
PULL OR ALTER CASING ☐ ☐
MULTIPLE COMPLETE ☐ ☐
CHANGE ZONES ☐ ☐
ABANDON* ☐ ☐
(other) Completion

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9/11/85 - Rig Released 11:00 am MDT 9/10/85

9/18/85 - MIRU Clarke well service rig, install BOP, RIH 199 jts 2 3/8" J-55 EUE 8rd tbg to 6080' Western Co. spotted 100 gal 10# acetic acid @ 6080' to 5980'. POH tbg.

9/19/85 - McCullough ran GR-CCL & BCL from 6338'-4300', Perf 5 1/2" csg w/4" csg gun, 2 JSPF @ 6045'-47', 48', 49', 52', 53', 54', 55', 56', 58', 62', 63', 64', 65', 66', 67', 71', & 6072'. RIH Howco 5 1/2" RTTS pkr + 194 jts 2 3/8" J-55 tbg, set pkr @ 5950', Western Co. test annulus & pkr w/500#, held ok. Pump 200 gal acetic acid in perfs @ 6045'-6072' OA @ 3 BPMR w/1800# TP, ISDP 400#, 2 min 0#.

9/20/85 - 13 Hrs. SITP 50#, FL @ 2600' FS, swab 5 BO + 5 BLW in 3 hrs, swab dry to SN @ 5944'. Howco acidized perfs @ 6045'-6072' OA w/3000 gal 15% NEFE HCL acid + 60 RCN BS. AIR 4 BPM w/2200# TP, max TP 4000# w/perfs balled off w/2400 gal acid in form, ISDP 700#, 15 min 600#.

CONTINUED ON ATTACHED SHEET

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED _____ TITLE Petroleum Engineer DATE 12/6/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL IF ANY

DEC 11 1985

*See Instructions on Reverse Side

5. LEASE
NM 19199
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Cal-Mon
9. WELL NO.
3
10. FIELD OR WILDCAT NAME
Sand Dunes
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 35, T-23-S, R-31-F
12. COUNTY OR PARISH
Eddy
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3482.7' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)