

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-25979
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LM2083
7. Lease Name or Unit Agreement Name State EB
8. Well No. 1
9. Pool name or Wildcat East Hess Morrow

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER
2. Name of Operator OXY USA INC.
3. Address of Operator P.O. BOX 50250 Midland, TX 79710
4. Well Location Unit Letter B : 840' Feet From The North Line and 1400' Feet From The East Line Section 2 Township 24S Range 23E NMPM EDDY County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4367'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SEE ATTACHMENT

RECEIVED

JAN 09 1996

OIL CON. DIV.
DIST. 2

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Marty Davis TITLE Engineering Technician DATE 1/5/96
TYPE OR PRINT NAME Marty Davis TELEPHONE NO. (915) 685-5867

(This space for State Use)

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

JAN 18 1996

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

**State EB #1
Workover Procedures**

1. MIRU rig. Kill well. ND WH. Release Baker Loc Set pkr at 10,188' and POOH w/tbg.
2. RU WL. PU 5-1/2", 17# CIBP and TIH. Set CIBP at 10,100'. Dump bail 35' of cmt on top of CIBP.
3. RIH Tag plug circulate hole full of 10# salt gel.
4. Spot plug at 8,000' to 7,900'.
5. Cut and pull 5.5 casing from 6,050' if possible.
6. Spot stub plug from 6,100' to 6,000'.
7. Tag stub plug and spot plug from 4,550' to 4,450'.
8. Spot shoe plug across 8-5/8 shoe from 2,550' to 2,450'.
9. Tag shoe plug and spot plug from 1,200' to 1,100.
10. Spot shoe plug across 13-3/8 shoe from 400' to 300'.
11. Tag shoe plug and spot 50' surface plug 10' BGL.
12. Cut casing and remove WH. Weld on cap and install marker.
13. Reclaim surface equipment and re-seed location.



Oct 17, 1995

STATE EB #1

Current Configuration

Elevation: 17' KB-BHF

840' FNL & 1400' FEL

Sec 02 T24S R23E

Eddy Co., New Mexico

Tubing: (Top to Bottom)
 4 2-3/8 TBG Subs jts,
 323 Jts 2-3/8 4.7# 8RD EUE N80
 2-7/8" X 2-3/8" XO
 Baker On/Off tool w/1.81" profile
 5-1/2" X 2-3/8" Baker Loc-Set
 2-3/8" QUICK- FLOW Nipple 1'
 2-3/8" Mule Shoed tbg sub 4'

13-3/8", 48#, H-40 STC @ 352'
 Cmt'd w/665 sx-circ'd

8-5/8", 24#, K-55 ST&C
 Set @ 2500'
 Cmt'd w/1150 sx - circ'd

TOC @ 6200' TS

Baker On/Off Tool w/1.81"
 w/1.81" profile @ 10,186'


Baker Loc-Set @ 10,188'

2-3/8 Mule Shoed Tbg Sub
 @ 10,197'

PBTD 10,500'
 Baker Model DB @ 10,550'
 6' millout extension
 Baker 1.81" F nipple @ 10,565'
 5-1/2", 17#, N-80
 Set @ 10,756'
 Cmt'd w/850 sx
 PBTD: 10,702'
 TD: 10,757'

Morrow Perfs
 (10,316'-10,359')

Morrow Perfs
 (10,668'-10,672')



OK
TW
11/1/11

OK
State EB#1
2-24-23
Solidy Co., N.M.

