

MEASURED DEPTH	DRIFT ANGLE D M	DRIFT DIRECTION D M	COURSE LENGTH	TRUE VERTICAL DEPTH	RECTANGULAR COORDINATES	DOGLEG SEVERITY
6000.00	0 45	S 21 0 W	100.00	5999.62	16.71 S 24.77 W	0.25
6100.00	0 45	S 19 0 W	100.00	6099.61	17.94 S 25.21 W	0.03
6200.00	0 30	S 6 0 W	100.00	6199.61	19.00 S 25.45 W	0.29
6300.00	0 45	S 13 0 W	100.00	6299.60	20.08 S 25.63 W	0.26
6400.00	0 45	S 6 0 W	100.00	6399.59	21.37 S 25.85 W	0.09
6500.00	0 45	S 30 0 W	100.00	6499.58	22.61 S 26.25 W	0.31
6600.00	0 30	S 52 0 W	100.00	6599.58	23.43 S 26.96 W	0.34
6700.00	1 45	N 75 0 W	100.00	6699.56	23.80 S 28.82 W	1.50
6800.00	2 15	S 89 0 W	100.00	6799.50	23.38 S 32.27 W	0.74
6900.00	2 15	S 89 0 W	100.00	6899.42	23.45 S 36.19 W	0.00
7000.00	2 30	S 80 0 W	100.00	6999.33	23.84 S 40.32 W	0.45
7100.00	3 15	S 71 0 W	100.00	7099.21	25.10 S 45.17 W	0.87
7200.00	3 0	S 70 0 W	100.00	7199.06	26.92 S 50.31 W	0.26
7300.00	3 0	S 68 0 W	100.00	7298.92	28.79 S 55.19 W	0.10
7400.00	3 15	S 66 0 W	100.00	7398.77	30.92 S 60.21 W	0.27
7500.00	3 0	S 65 0 W	100.00	7498.62	33.19 S 65.17 W	0.26
7600.00	2 0	S 60 0 W	100.00	7598.53	35.20 S 69.04 W	1.02
7700.00	0 45	S 52 0 W	100.00	7698.50	36.54 S 71.03 W	1.26
7800.00	0 30	S 49 0 W	100.00	7798.49	37.23 S 71.87 W	0.25
7900.00	0 30	S 50 0 W	100.00	7898.49	37.80 S 72.53 W	0.01
8000.00	0 30	S 52 0 W	100.00	7998.48	38.35 S 73.21 W	0.02
8100.00	0 45	S 59 0 W	100.00	8098.48	38.97 S 74.11 W	0.26
8200.00	1 0	S 60 0 W	100.00	8198.46	39.74 S 75.43 W	0.25
8300.00	1 0	S 52 0 W	100.00	8298.45	40.72 S 76.87 W	0.14
8400.00	1 0	S 69 0 W	100.00	8398.43	41.57 S 78.38 W	0.30
8500.00	1 45	S 86 0 W	100.00	8498.40	42.09 S 80.72 W	0.85
8600.00	2 0	S 85 0 W	100.00	8598.35	42.35 S 83.98 W	0.25
8700.00	1 15	N 85 0 W	100.00	8698.31	42.35 S 86.81 W	0.80
8800.00	1 0	N 66 0 W	100.00	8798.29	41.86 S 88.71 W	0.45
8900.00	0 45	N 65 0 W	100.00	8898.28	41.23 S 90.09 W	0.25

