
Form 3160-5 (November 1983) (Formerly 9-331)


## UNITED STATES tests, Assumment Triplicate DEPARTMENT OF THE INTERIOR verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31 1095

		pues	nugusi	31,	1985	
ì.	LEAS	E DESI	GNATION	AND	SERIAL.	NO
	NTM.	LACE	Ω			

BUREAU OF LAND MA	NM-40659 6 IF INDIAN, ALLOTTEE OR TRIBE NAME					
SUNDRY NOTICES AND R  (Do not use this form for proposals to drill or to d Use "APPLICATION FOR PERMI						
OIL GAS X OTHER	REL DI- 20	7. UNIT AGEREMENT NAME				
2. NAME OF OPERATOR	200 4 1, 189	S. FARM OR LEASE NAME				
CNG Producing Co.	DEC 14'89	Sand Dunes 28 Federal				
3. ADDRESS OF OPERATOR	o C D.	9. WBLL NO.				
Williams Tower I, Ste. 420, One	Williams Tower I, Ste. 420, One W. Third, Tulsa, OK C. 7, 1613  4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements See also space 17 below.)  At surface					
See also space 17 below.)	dance with any State requirements.	10. FIELD AND POOL, OR WILDCAT Sand Dunes				
1980' FSL & 1980' FEL						
-300 10D & 1300 1Hh		11. SEC., T., R., M., OR BLE. AND SURVEY OR ARMA				
		28-23S-31E				
	Show whether DF, RT, GR. etc.)	12. COUNTY OR PARISH 13. STATE				
30-015-26194 3368.5	GR	Eddy NM				
16 Check Appropriate Box T	o Indicate Nature of Notice, Report, or	Other Data				
NOTICE OF INTENTION TO:	SUBSI	SUBSEQUENT REPORT OF:				
TEST WATER SHUT-OFF PULL OR ALTER CASE	NG WATER SHUT-OFF	REPAIRING WELL				
FRACTURE TREAT MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING				
SHOOT OR ACIDIZE ABANDON®	SHOOTING OR ACIDIZING	ABANDONMENT*				
REPAIR WELL CHANGE PLANS (Other)		perations Report X				
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly St proposed work. If well is directionally drilled, give nent to this work.) •	ate all pertinent details, and give pertinent date subsurface locations and measured and true vert					
11-1-89 thru 11-12-89 Drill 8- 11-12-89 Run Intermediate logs 11-13-89 Set 7" intermediate ( TOC @ 6150'. 11-15-89 Test csg to 4000 psi, 11-16-89 thru 11-23-89 Drill 6 DST #1 13,554-13,620' 11-25-89 thru 11-30-89 Drill 6	(DLL, FDC/CNL/GR/CAL, DLL/MI second string) @ 11,975', cmd 15 min. "hole from 11,975' to 13,620.	LL/GR, ZDL/CN/GR). t w/1000 sxs 50/50 Poz.				
11 25 05 third if 50 05 billi 0	1101e 11011 13,620° to 14,162	<b>4</b> ' •				
		р - — — — — — — — — — — — — — — — — — — —				
		TO TO				
		. O				
	en en an arran de la companya de la					
	Ads_	ं ।				
	340 j # 4989					
	Caresbab, Novembro					
18. I hereby certify that the foregoing is true and correct	P. 1					
SIGNED Such Jacy	TITLE Drlg & Reg Rpts Spec	DATE 11-30-89				
(This space for Federal or State office use)						
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE				







Job separation sheet

Form 3160-5 (November 1983) (Formerly 9-331)	L TED S	STATES THE INTERI	OR verse ande)		No. 1004-0135
CLINI	BUREAU OF LAND	MANAGEMENT	Artesia, NM 88210	NM-40659	
(Do not use this	DRY NOTICES AND form for proposals to drill or Use "APPLICATION FOR PE	to deepen or plug b	DN WELLS ack to a diffyをむ reservoir. oposals.)		
1. OIL GAS	⊽			7. UNIT AGREEMENT N	
2. NAME OF OPERATOR	OTHER		13'89	Sand Dunes Fe	
CNG Produ	cing Co.			8. FARM OR LEASE NA Sand Dunes F	
3. ADDRESS OF OPERATOR	•			9. WBLL NO.	ederal zo
l W. Thir	d, #420, Williams :	Tower I, Tul:	sa, OK ~ 9411053	1	
4. LOCATION OF WELL (R See also space 17 belo At surface	William -	Sand Dunes			
1980' FSL	& 1980' FEL			11. SBC., T., B., M., OR SURVEY OR AREA 28-23S-31E	DLE. AND
14. PERMIT NO. 30-015-26194	•	NS (Show whether DF,	RT, GR, etc.)	12. COUNTY OF PARISE	NM
16.		x To Indicate N	ature of Notice, Report, or	r Other Data	
,	OTICE OF INTENTION TO:	-	8088	EQUENT EMPORT OF:	
TEST WATER SHUT-OF	PULL OR ALTER	CASING	WATER SHUT-OFF	REPAIRING	WELL
FRACTURE TREAT	MULTIPLE COMP	1.ETE	FRACTURE TREATMENT	ALTEBING C.	ASING
SHOOT OR ACIDIZE REPAIR WELL	ABANDON*		SHOOTING OR ACIDIZING	ABANDONME	
(Other)	CHANGE PLANS		(NOTE: Report room	perations Report lits of multiple completion appletion Report and Log for	
10-8-89 S 10-17-89 S 10-18-89 I 10-26-89 I	et 20" conductor @pud 17-1/2" hole prill to 672'. Set mt, followed by 33 ocation, witnessed prill 12-1/4" hole	2 60' 13-3/8" sur 30 sxs Class cementing. to 4245'. s sxs Howco C	details and give pertinent date one and measured and true verifications and measured and true verifications. C. Circ 330 sxs conset 9-5/8" intermed. Lite, followed by	'. Cmt w/415 sx mt to pit. BLM	s C1 C rep on
				f (*)	
					rt1
				C.	CEIVED
				•	7 Z
					i m
					- ***
				944 <b>(</b>	2
8. I hereby certify that the	he foregoing is true and correct		& Reg Rpts Spec	DATE 11-1-	-89
(This space for Federa	l or State office use)			JAIN	
APPROVED BYCONDITIONS OF APP		TITLE	27	DATE	
January VE MEE	ANA.			MOV - 01905	
	•	See Instructions o		şus Risbad, a Caraba	e i see see see
itle 18 U.S.C. Section	1001 makes it a coi		Ep. 24.	neduntil, the comment	1 V. 1 T