INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any nonor deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of M_{10}^{-1} all tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, there vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form M_{10}^{-1} are filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	Anhy T. Canyon		T. Penn. "B"	
T. Salt <u>1150'</u>	T. Suawn			
B. Salt T. Atoka				
T. Yates	T. Miss	T. Cliff House	T. Leadville	
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison	
T. Queen	T. Silurian	T. Point Lookout	T. Elbert	
T. Grayburg	T. Montoya	T. Mancos	T. McCiscken	
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte	
T. Glorieta	T. McKee	Base Greenhorn	T. Granite	
T. Paddock	T. Ellenburger	T. Dakota	T	
T. Blinebry	T. Gr. Wash	T. Morrison	T	
T. Tubb	T. Delaware Sand 2620	T. Todilto	T	
T. Drinkard	T. Bone Springs 6162!		T	
T. Abo	T		T	
T. Wolfcamp	T	T. Chinke	T	
	T		T	
T. Cisco (Bough C)	T		т	
	OIL OR GAS	SANDS OR ZONES		
No. 1, from	to	No. 3, from		
No. 2, from	to		to.	
	IMPORTAN	WATER SANDS		
Include data on rate of wate	r inflow and elevation to which water i			

No. 1, from	.to	Area .
No. 2, from		
No. 3, from	.to.	.fcet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness in Feet	, Lithology	From	То	Thickers.	,	-alden average
0 90 2630	90 2630 6210	90 2540 3580	Caliche Salt, anhydrite & lime Lime, sand & shale					