

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

25
Bum
Boyer
St. Hol

WELL API NO.
30-015-26797

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
L-6425

7. Lease Name or Unit Agreement Name

Ruby 30 State Com

8. Well No.
1

9. Pool name or Wildcat
Wildcat Salt Draw Atoka

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐
b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐
O. C. D.
ARTESIA OFFICE

2. Name of Operator
Nearburg Producing Company

3. Address of Operator
P. O. Box 823085, Dallas, Texas 75382-3085

4. Well Location
Unit Letter 0 : 990 Feet From The South Line and 1,980 Feet From The East Line
Section 30 Township 24S Range 29E NMPM Eddy County

10. Date Spudded 8/8/91 11. Date T.D. Reached 10/9/91 12. Date Compl. (Ready to Prod.) 11/5/91 13. Elevations (DF & RKB, RT, GR, etc.) 2,917.3' GR 14. Elev. Casinghead 2,917'

15. Total Depth 13,400' 16. Plug Back T.D. 13,300' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By Rotary Tools 0 to TD Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name 12,148' to 12,155' Atoka 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run CNL/LDT, DLL/MSFL 22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	598'	17-1/2"	600 sx circulated	none
9-5/8"	36#	2,760'	12-1/4"	1500 sx circulated	none
7"	23,26,29 & 32#	10,120'	8-3/4"		

24. LINER RECORD				25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET
4-1/2"	9,721'	13,400'	770		2-7/8 & 2-3/8"	12088'

26. Perforation record (interval, size, and number)
12,148' - 12,155' 4 SPF (29 holes)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL
AMOUNT AND KIND MATERIAL USED

28. PRODUCTION

Date First Production 11/5/91 Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing Well Status (Prod. or Shut-in) Producing

Date of Test 11/8/91	Hours Tested 24	Choke Size 18/64"	Prod'n For Test Period	Oil - Bbl. 0	Gas - MCF 1606	Water - Bbl. 0	Gas - Oil Ratio N/A
Flow Tubing Press. 690	Casing Pressure N/A	Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 1606	Water - Bbl. 0	Oil Gravity - API - (Corr.)	N/A

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented Test Witnessed By Company representative

30. List Attachments
CNL/LDT, DLL/MSFL, Inclination Survey

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Mildred Simpkins Printed Name Mildred Simpkins Title Production Analyst Date 11/12/91

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____ 1,185'
 T. Salt _____
 B. Salt _____ 2,541'
 T. Yates _____
 T. 7 Rivers _____
 T. Queen _____
 T. Grayburg _____
 T. San Andres _____
 T. Glorieta _____
 T. Paddock _____
 T. Blinberry _____
 T. Tubb _____
 T. Drinkard _____
 T. Abo _____
 T. Wolfcamp _____ 9,697'
 T. Penn _____
 T. Cisco (Bough C) _____

T. Canyon _____
 T. Strawn _____ 11,844'
 T. Atoka Clastics _____ 12,073'
 T. Miss _____
 T. Devonian _____
 T. Silurian _____
 T. Montoya _____
 T. Simpson _____
 T. McKee _____
 T. Ellenburger _____
 T. Gr. Wash _____
 T. Delaware Sand _____ 2,770'
 T. Bone Springs _____ 6,491'
 T. Delaware Ls. _____ 2,741'
 T. Cherry Canyon _____ 3,666'
 T. Brushy Canyon _____ 4,928'
 T. Morrow Ls. _____ 12,554'

Northwestern New Mexico

T. Ojo Alamo _____
 T. Kirtland-Fruitland _____
 T. Pictured Cliffs _____
 T. Cliff House _____
 T. Menefee _____
 T. Point Lookout _____
 T. Mancos _____
 T. Gallup _____
 Base Greenhorn _____
 T. Dakota _____
 T. Morrison _____
 T. Todilto _____
 T. Entrada _____
 T. Wingate _____
 T. Chinle _____
 T. Permian _____
 T. Penn "A" _____

T. Penn. "B" _____
 T. Penn. "C" _____
 T. Penn. "D" _____
 T. Leadville _____
 T. Madison _____
 T. Elbert _____
 T. McCracken _____
 T. Ignacio Otzte _____
 T. Granite _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ 12,148' to _____ 12,155'
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
Surface	1185	1185	Undifferentiated surface rock	12073	12225	152	Lime, Sand, Shale
1185	1930	745	Anhydrite, Red Beds, Salt	12225	12755	530	Lime, Shale, Chert
1930	2540	610	Salt and Anhydrite	12755	12930	175	Lime, Shale, Sand
2540	2741	201	Anhydrite, Lime	12930	12975	45	Lime, Shale, Chert, Sand
2741	2770	29	Lime and Shale	12975	13400	425	Sand, Shale, Lime
2770	3580	810	Sand and Shale				
3580	4130	550	Sand, Lime, Shale				
4130	6491	2361	Sand and Shale				
6491	6642	151	Lime, Sand, Shale				
6642	7432	790	Lime and Shale				
7432	7680	248	Sand, Shale, Lime				
7680	8245	565	Lime and Shale				
8245	8508	263	Sand, Shale, Lime				
8508	8864	356	Lime and Shale				
8864	8918	54	Sand				
8918	9336	418	Lime and Shale				
9336	10000	664	Sand, Shale, Lime				
10000	11844	1844	Shale and Lime				
11844	12073	229	Lime and Shale				