

Submit to Appropriate
District Office
State Leases - 6 copies
Fee Leases - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-0088

Form C-105
Revised 1-1-89

FEB 12 1992

WELL COMPLETION OR RECOMPLETION REPORT AND LOG						WELL API NO.									
1a. Type of Well: OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐						5. Indicate Type of Lease STATE ☐ FEE ☒									
b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DEPT RESVR ☐ OTHER ☐						6. State Oil & Gas Lease No.									
2. Name of Operator Parker & Parsley Development Company						7. Lease Name or Unit Agreement Name Pardue Farms 26									
3. Address of Operator P.O. Box 3178, Midland, Texas 79702						8. Well No. 4									
4. Well Location Unit Letter C : 2100 Feet From The West Line and 560 Feet From The North Line Section 26 Township 23S Range 28E NMPM Eddy County						9. Pool name or Wildcat East Loving Delaware									
10. Date Spudded 11/3/91		11. Date T.D. Reached 11/13/91		12. Date Compl. (Ready to Prod.) 12/5/91		13. Elevations (DF & RKB, RT, GR, etc.) 3016' GR		14. Elev. Casinghead Same							
15. Total Depth 6800'		16. Plug Back T.D. 6290'		17. If Multiple Compl. How Many Zones?		18. Intervals Drilled By Rotary Tools X Cable Tools									
19. Producing Interval(s), of this completion - Top, Bottom, Name 6030 - 6260' Brushy Canyon								20. Was Directional Survey Made Attached							
21. Type Electric and Other Logs Run CNL/CCL								22. Was Well Cored No							
23. CASING RECORD (Report all strings set in well)															
CASING SIZE		WEIGHT LB/FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED					
8-5/8"		24#		515'		12-1/4"		375 sks							
4-1/2"		11.6#		6800'		7-7/8"		1st stage 325 sks							
								2nd stage (DVT @ 5699')							
								925 sks							
24. LINER RECORD										25. TUBING RECORD					
SIZE		TOP		BOTTOM		SACKS CEMENT		SCREEN		SIZE		DEPTH SET		PACKER SET	
										2-3/8"		6160'			
26. Perforation record (interval, size, and number) 6260', 46', 43', 35', 09', 04', 6198', 68', 61', 50', 14', 05', 6049', 40', and 30' (15 holes, .5" entry)										27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
										DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
										6030'-6260'		45,000 gal GWX-9 & 155,000 # 20-40 sd			
28. PRODUCTION															
Date First Production 12/7/90		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping 1-3/4" X 5' plunger						Well Status (Prod. or Shut-in) Producing							
Date of Test 2/10/92		Hours Tested 24		Choke Size		Prod'n For Test Period		Oil - Bbl. 36		Gas - MCF 250		Water - Bbl. 129		Gas - Oil Ratio 6944	
Flow Tubing Press.		Casing Pressure		Calculated 24-Hour Rate		Oil - Bbl.		Gas - MCF		Water - Bbl.		Oil Gravity - API - (Corr.) 40.0			
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold										Test Witnessed By					
30. List Attachments Directional Survey															
31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief															
Signature <u>Randy R. Johnson for</u>										Printed Name <u>J. Michael Reeves</u>		Title <u>District Mgr.</u>		Date <u>2/11/92</u>	

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____ NL	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____ NL	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____ NL	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____ 6257	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 6030 to 6260
No. 2, from 6314 to 6687
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
2654	3502	848'	Bell Canyon Sands
3502	4740	1238'	Cherry Canyon Sands
4740	6257	1520'	Brushy Canyon Sands
6257	TD	545'+	Bone Spring Lime

RECEIVED

WELL NAME & NUMBER Pardue Farms 26-#4 FEB 12 1992 WF

LOCATION Sec. 26, T23S, R28E Eddy Co., NM O. C. D.
 (Give Unit, Section, Township and Range)

OPERATOR Parker & Parsley Develop. Company P.O. Box 3178 Midland, TX 79702-3178

DRILLING CONTRACTOR Grace Drilling Company P.O. Box 13480 Odessa, Tx 79768

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH
.50 267	2.75 2489		
.25 520	1.75 2584		
1.00 663	1.75 3084		
1.25 807	.75 3583		
1.00 925	.25 4082		
1.25 1083	.50 4583		
1.25 1238	.75 5078		
1.00 1394	.50 5549		
1.00 1551	.75 6045		
1.00 1707	.25 6357		
.75 1865	1.50 6800		
1.25 2020			
1.25 2176			
2.50 2333			
3.25 2428			

Drilling Contractor Grace Drilling Company

By [Signature]
 L. V. Bohannon - Drlg. Supt.

Subscribed and sworn to before me this 20th day of November, 1991

[Signature]
 Notary Public

My Commission Expires 10-1-94 Ector County Texas

