

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

RECEIVED
FEB 12 1992

O. C. D.

ICE

Form C-105
Revised 1-1-89

WELL API NO.

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Pardue Farms 26

8. Well No.

4

9. Pool name or Wildcat

East Loving Delaware

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER ☐

b. Type of Completion:

NEW
WELL ☒

WORK
OVER ☐

DEEPEN ☐

PLUG
BACK ☐

DEEP
RESVR ☐

OTHER ☐

2. Name of Operator

Parker & Parsley Development Company

3. Address of Operator

P.O. Box 3178, Midland, Texas 79702

4. Well Location

Unit Letter C : 2100 Feet From The West Line and 560 Feet From The North Line

Section 26

Township 23S

Range 28E

NMPM

Eddy

County

10. Date Spudded

11/3/91

11. Date T.D. Reached

11/13/91

12. Date Compl. (Ready to Prod.)

12/5/91

13. Elevations (DF & RKB, RT, GR, etc.)

3016' GR

14. Elev. Casinghead

Same

15. Total Depth

6800'

16. Plug Back T.D.

6290'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

6030- - 6260' Brushy Canyon

20. Was Directional Survey Made

Attached

21. Type Electric and Other Logs Run

CNL/CCL

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	515'	12-1/4"	375 sks	
4-1/2"	11.6#	6800'	7-7/8"	1st stage 325 sks	
				2nd stage (DVT @ 5699')	
				925 sks	

24. LINER RECORD

25. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-3/8"	6160'	

26. Perforation record (interval, size, and number)

6260', 46', 43', 35', 09', 04', 6198', 68', 61', 50', 14', 05', 6049', 40', and 30' (15 holes, .5" entry)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

6030'-6260'

45,000 gal GWX-9 &

155,000 # 20-40 sd

28. PRODUCTION

Date First Production

12/7/90

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping 1-3/4" X 5' plunger

Well Status (Prod. or Shut-in)

Producing

Date of Test

2/10/92

Hours Tested

24

Choke Size

Prod'n For Test Period

Oil - Bbl.

36

Gas - MCF

250

Water - Bbl.

129

Gas - Oil Ratio

6944

Flow Tubing Press.

Casing Pressure

Calculated 24-Hour Rate

Oil - Bbl.

Gas - MCF

Water - Bbl.

Oil Gravity - API - (Corr.)

40.0

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

30. List Attachments

Directional Survey

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Rad R. Johnson for

Printed Name

J. Michael Reeves

Title District Mgr.

Date 2/11/92

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	NL	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	NL	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	NL	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates		T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers		T. Devonian	T. Menefee	T. Madison
T. Queen		T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg		T. Montoya	T. Mancos	T. McCracken
T. San Andres		T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta		T. McKee	Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T.
T. Blinebry		T. Gr. Wash	T. Morrison	T.
T. Tubb		T. Delaware Sand	T. Todilto	T.
T. Drinkard		T. Bone Springs	T. Entrada	T.
T. Abo		T.	T. Wingate	T.
T. Wolfcamp		T.	T. Chinle	T.
T. Penn		T.	T. Permian	T.
T. Cisco (Bough C)		T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from..... 6030..... to..... 6260.....
No. 2, from..... 6314..... to..... 6687.....
No. 3, from..... to.....
No. 4, from..... to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
2654	3502	848'	Bell Canyon Sands				
3502	4740	1238'	Cherry Canyon Sands				
4740	6257	1520'	Brushy Canyon Sands				
6257	TD	545'+	Bone Spring Lime				

RECEIVED

WF

WELL NAME & NUMBER Pardue Farms 26-#4

FEB 12 1992

LOCATION Sec. 26, T23S, R28E Eddy Co., NM
(Give Unit, Section, Township and Range)O. C. D.
ARTESIA OFFICEOPERATOR Parker & Parsley Develop. Company P.O. Box 3178 Midland, TX 79702-3178DRILLING CONTRACTOR Grace Drilling Company P.O. Box 13480 Odessa, Tx 79768

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH	DEGREES @ DEPTH
.50 267	2.75 2489		
.25 520	1.75 2584		
1.00 663	1.75 3084		
1.25 807	.75 3583		
1.00 925	.25 4082		
1.25 1083	.50 4583		
1.25 1238	.75 5078		
1.00 1394	.50 5549		
1.00 1551	.75 6045		
1.00 1707	.25 6357		
.75 1865	1.50 6800		
1.25 2020			
1.25 2176			
2.50 2333			
3.25 2428			

Drilling Contractor Grace Drilling CompanyBy *[Signature]*

L. V. Bohannon - Drlg. Supt.

Subscribed and sworn to before me this 20th day of November, 1991*[Signature]*

Notary Public

My Commission Expires 10-1-94Ector County Texas