

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87501

OCT 29 1992

O. C. D.

WELL API NO. 30-015-27107
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-3479
7. Lease Name or Unit Agreement Name Pinnacle
8. Well No. 5
9. Pool name or Wildcat East Herradura Bend, Delaware
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3100' GR

SUNDRY NOTICES AND REPORTS ON WELL OPERATIONS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
Fortson Oil Company

3. Address of Operator
301 Commerce Street, Suite 3301, Fort Worth, Texas 76102

4. Well Location
Unit Letter J : 1980 Feet From The South Line and 2310 Feet From The East Line

Section 36 Township 22 South Range 28 East NMFM Eddy County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Completion Operations/Delaware ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Completion operations began October 17, 1992.
Pressure test D.U. tool to 1000 psig for 15 minutes, O.K.
Pressure test 5-1/2" casing to 1500 psig for 15 minutes, O.K.
Plug back depth 6348' K.B.
Spotted 250 gallons Acetic (MSA) acid.
Perforate Lower Brushy Canyon 4 JSPF from 6234' - 6244' (41 holes).
Acidize with 1500 gallons 7-1/2% HCL NEFE Acid.
Frased Perforations 6234' - 6244' with 12,000 gallons water gel 40; 18,000* 16/30 Mesh sand and 10,000* Super LC Sand.
Well flowing to tanks.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sheryl L. Jonas TITLE Agent for Collins & Ware DATE 10/28/92

TYPE OR PRINT NAME Sheryl L. Jonas

TELEPHONE NO. (915) 683-5511

(This space for State Use)

ORIGINAL SIGNED BY
WILLIAMS
SUPERVISOR, DISTRICT II

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

OCT 30 1992