

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN 1

ICATE*
for other in-
structions on
reverse side)

FOR APPROVED
OMB NO. 1004-0137
Expires: December 31, 1991

c/sf

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVR. ☐ Other ☐
2. NAME OF OPERATOR: Devon Energy Corporation (Nevada) ✓
3. ADDRESS AND TELEPHONE NO.: 20 North Broadway Suite 1500 Oklahoma City, OK 73102
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface 660' FNL & 660' FWL
At top prod. interval reported below same
At total depth same

RECEIVED
OCT - 5 1993
O.C.D.
ACCEPTED FOR RECORD
OCT - 5 1993
CARLSBAD, NEW MEXICO

5. LEASE DESIGNATION AND SERIAL NO.: NM 0405444-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NA
7. UNIT AGREEMENT NAME: NA
8. FARM OR LEASE NAME, WELL NO.: Todd "25D" Fed. #4
9. API WELL NO.: 30-015-27382
10. FIELD AND POOL, OR WILDCAT: Ingle Wells Delaware
11. SEC. T., R., M., OR BLOCK AND SURVEY OR AREA: Section 25-T23S-R31E

12. COUNTY OR PARISH: Eddy
13. STATE: NM
14. PERMIT NO.:
15. DATE SPUDDED: 6-16-93
16. DATE T.D. REACHED: 7-1-93
17. DATE COMPL. (Ready to prod.): 7-22-93
18. ELEVATIONS (DP, RKB, RT, GR, ETC.): 3486.7'
19. ELEV. CASINGHEAD: 3499.2'
20. TOTAL DEPTH, MD & TVD: 8400'
21. PLUG, BACK T.D., MD & TVD: 8350'
22. IF MULTIPLE COMPL., HOW MANY?:
23. INTERVALS DRILLED BY: X
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*:
8184'-8214' Lower Brushy Canyon "B"
8088'-8104' Lower Brushy Canyon "D"
25. WAS DIRECTIONAL SURVEY MADE: yes
26. TYPE ELECTRIC AND OTHER LOGS RUN: Dual Laterolog/Micro Laterolog/Gamma Ray Caliper
Cement Bond Log, Compensated Density
27. WAS WELL CORRED: no

CASING RECORD (Report all strings set in well)					
CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
13 3/8"	54.5#	855'	17 1/2"	surface	none
8 5/8"	32#	4275'	11"	surface	none
5 1/2"	15.5 & 17#	8400'	7 7/8"	2000' - 2 stage	none

LINER RECORD					TUBING RECORD		
SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	7916'	7916'

31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
8184'-8214'	Lower Brushy Canyon "B"			DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
8088'-8104'	Lower Brushy Canyon "D"			8088'-8214'	1500 g. 7 1/2% NEFE acid + ball sealers
(25 total holes, 4" casing gun)					67,600 g. gelled 2% KCl water
					+ 202,500# 16/30 sand

33. PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)
7-22-93		flowing					producing
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
7-28-93	24	18/64"		177	227	104	1283:1
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
350	1100		177	227	104		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.): sold - effective 7-23-93
TEST WITNESSED BY: Dan Talley

35. LIST OF ATTACHMENTS: logs, (deviation survey will be submitted separately)

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records
Charles W. Horsman
SIGNED: [Signature] TITLE: District Engineer DATE: 8-2-93

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38.

GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Rustler	1150'	1150'
Base Salado	3915'	3915'
Lamar	4470'	4470'
Cherry Canyon	5626'	5626'
Brushy Canyon	7004'	7004'
Bone Springs	8282'	8282'