

Schlumberger

**LITHO DENSITY /
COMPENSATED NEUTRON**

FINAL COMPOSITE

County: EDDY
Field: ATOKA WILL
Location: 1900 FSL & 1350 FWL
Well: MALAGA NO 1
Company: COLLINS & WARE, INC.

Company: COLLINS & WARE, INCORPORATED


Well: MALAGA NO.1

Field: ATOKA WILDCAT

County: EDDY State: NEW MEXICO

Location: 1900 FSL & 1350 FWL
APRI SERIAL NO: 261105-27451
SECTION: 27 TOWNSHIP: 24 S RANGE: 28 E
Other Services: DULMSFL MSCT

Permanent Datum: G.L. Elevation: 2994.1 F
Log Measured From: PKB 25.3 Ft. above Perm. Datum
Drilling Measured From: PKB
Date: 20 JUN 1964 04 JUL 1963
Run No: 1 2
Depth: 12960 12962
Depth Logger: 12962 12962
Bore Log Interval: 1400 120.35
Top Log Interval: 140 9890
Casing Logger: 2578 7.00
SA Size: 2578 5490
Fluid Type: RS
Dens. Visc: 8.21 FC 30.5
Core: 10 15.0 C3
Type of Sample: 101
Meas Temp: 0.05 @ 76 0.05 @ 80
Core Meas Temp: 0.04 @ 76 0.04 @ 88
Source Rmt Rnc: MEAS
Run @ BHT: 0.04 @ 143 0.027 @ 169
Time Circ Stopped: 015.5 20 1100 7.8
Logger on Bim: 003.5 20 1601 7.8
Max. Rec Temp: 143 @ 169
Equip. Location: 2020 / ROSWELL
Recorded By: ROBERTS CRAWLEY SULLIVAN
Witnessed By: DODD MORRIS DODD




9.625"
CSG

7.00"
CASING

OH
Log
P P/7

DELAWARE
POT. PAY



LTR



Job separation sheet

