

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1 Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	5 Lease Designation and Serial No. NM 61349
2 Name of Operator Collins & Ware, Inc. ✓	6 If Indian, Allottee or Tribe Name
3 Address and Telephone No. 303 W.Wall, Ste. 2200, Midland, TX 79701	7 If Unit or CA, Agreement Designation
4 Location of Well (Footage, Sec., T., R., M., or Survey Description) L, Sec. 31, T22S, R29E 2310' FSL & 330' FWL	8 Well Name and No. Quahada Ridge 31 Fed. #1
	9 API Well No. 30-015-27666
	10 Field and Pool, or Exploratory Area Herradura Bend, East Del.
	11 County or Parish, State Eddy NM

12 CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Perforate</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11-6-93: RU and set RBP @ 6237'; perforate from 6215' to 6236' w/2 JSPF(42 holes).  
Run second gun and perforate from 6205' to 6215' w/2 JSPF(20 holes); total 62 holes.

11-7-93: Pump 11500 gal./ YF 130 w/ 32000#/ 16/30 sand for frac.

11-8-93: Set RBP @ 6165'; perforate from 6114' to 6134' w/2 JSPF; perforate from 6104' to 6114' w/2 JSPF. Producing interval : 6104'-6134'.

RECEIVED  
NOV 9 11 27 AM '93  
OFFICE OF THE  
STATE ENGINEER

ACCEPTED FOR RECORD  
OCT 2 1993  
DAVID R. GLASS  
CARLSBAD, NEW MEXICO

14. I hereby certify that the foregoing is true and correct

Signed Max Guerry Title Regulatory Mgr. Date 11-8-93

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any: \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.